State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-37 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered passsenger cars:

	Displace	ment	Exhaust Emission Control Systems
Engine Family	Cubic Inches	(Liters)	(Special Features)
FSZ090V2FFG9	90	(1.5)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.18	1.2	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_day of July, 1984.

K. D. Drachand, Chief Mobile Source Division Manufacturer Isuzu Motors Limited Executive Order No. A-20-37

Engine Family FSZ090V2FFG9 Evaporative Family CAN-D

Engine CID (Liters) 90 (1.5)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion

Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection MFI-Mechanical Fuel Injection TC-Turbocharged

<u>VEHICLE MODELS:</u> Isuzu 750C* (* : Tentative name)

I3G-2M: 4 Door Notchback

I3G-3M: 2 Door Hatchback

VEHICLE MODELS: Chevrolet SPECTRUM

C3G-2M: 4 Door Notchback

C3G-3M: 2 Door Hatchback

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

		7		•	۲:	age	
	1985 /	AIR RESOL	JRCES BOA	ARD SUPPLEMENTA			
X Passe	enger Cars 🛅 Li	ight-Duty	Trucks	Medium-Du	ıty Vehicles	X Gas	Diesel
Manut	facturer <u>Isu</u>	zu Motor	s Limited	<u>.</u>	E.O.	#A-20-37	
Engir	ne FamilyFSZ09	0V2FFG9		CID (liter)) - Type 90	(1.5)-L4	
-	(Special Features)						China Sanaghira Alganisis Sanaghira Sanaghira
Engine Code	Vehicle Models (If Coded see		Test		Fuel System	EGR Valve	Label Ident.
	attachment)		Weight	Part No	Carb. Part No.	Part No.	Part No.
	·						
VFG-5							8941332343
	and the	M-5		.8941095804	8941095610	8944016380	
VFG-7			-		3. #15	,	8944133860
	13G-2M 13G-3M		2,250				
-	C3G-2M C3G-3M		2,200				·
VFG-6	-		·		*		8941332343

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

8941574680

8941300520

8941403712

8944133860

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

VFG-8

Revisions: A. Change of Label Ident. Part No. by RC85V01 on 072684.

A-3

B. Change of EGR Valve Part No. and Engine Code by RC85V04 on 091884.

C. Addition of engine codes VFG-7 and VFG-8 by RC85V06 and change of label by RC85V09 on 021485.

011981