

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-28  
Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
FHNT.8VOFHC3	112 (1.8)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.39	7.0	0.7

The following are the certification emission values for the above engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.18	2.2	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of August, 1984.



K. D. Drachand, Chief  
Mobile Source Division

## 08.00.00 GENERAL TECHNICAL DESCRIPTION

## Vehicle Road Load

<u>Model</u>	<u>CD HP</u>	<u>CD TIME</u>	<u>TIRE</u>	<u>TRANS</u>	<u>ETW</u>	<u>A/C</u>
Civic 1.3 HB	7.0	13.67	P165/70R13	M4	2125	N
Civic Coupe HF	5.8	15.48	P165/70R13	M5	2000	N
Civic 1.5 Coupe	6.5	12.78	175/70SR13	M5/A3	2125	N
	7.2	11.96	175/70SR13	M5	2125	Y
				A3	2250	Y
Civic 1.5 DX HB	7.2	13.94	P175/70R13	M5/A3	2250	N
	7.9	13.05	P175/70R13	M5/A3	2250	Y
Civic 1.5 S HB	7.2	12.67	175/70SR13	M5	2250	N
	7.9	11.99	175/70SR13	M5	2250	Y
Civic Sedan	8.3	12.64	P175/70R13	M5	2250	N
				A3	2375	N
	9.1	12.44	P175/70R13	M5	2375	Y
	9.1	11.84	P175/70R13	A3	2375	Y
Civic Wagon	8.7	12.64	P175/70R13	M5/A3	2375	N
	9.6	11.78	P175/70R13	M5/A3	2375	Y
Prelude	7.1	14.43	185/70SR13	M5/A4	2625	N
	7.8	13.59	185/70SR13	M5/A4	2625	Y
Accord HB	7.4	14.08	P185/70R13	M5	2500	N
				A4	2625	N
	8.1	13.31	P185/70R13	M5/A4	2625	Y
Accord LX HB	6.9	14.05	P185/70R13	M5/A4	2625	N
	7.6	13.32	P185/70R13	M5/A4	2625	Y
Accord Sedan	7.5	14.69	P185/70R13	M5	2625	N
	7.4	14.08	P185/70R13	A4	2625	N
	8.2	13.85	P185/70R13	M5	2625	Y
				A4	2750	Y
Accord LX Sedan	8.1	12.80	P185/70R13	M5	2625	Y
				A4	2750	Y

Manufacturer HONDA Executive Order No. A-23-28  
 Engine Family FHN1.8VOFHC3 Evaporative Family 85FC  
 Engine CID (Liters) 112 (1.8)

## ABBREVIATIONS

Ignition System

CA-Centrifugal Advance  
 EEC-Electronic Engine Control  
 EI-Electronic Ignition  
 ESAC-Electronic Spark Advance Control  
 VA-Vacuum Advance  
 VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI  
 Venturi Carburetor  
 Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump  
 AIV-Air Injection-Valve  
 CL-Closed Loop  
 EGR-Exhaust Gas Recirculation  
 EM-Engine Modification  
 OC-Oxidation Catalyst System  
 TOC-Trap Oxidizer Continual  
 TOP-Trap Oxidizer Periodical  
 TR-Thermal Reactor  
 TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve  
 CFI-Central Fuel Injection  
 DID-Diesel Injection-Direct  
 DIP-Diesel Injection-Prechamber  
 EFI-Electronic Fuel Injection  
 IC - Intercooler  
 MFI-Mechanical Fuel Injection  
 TC-Turbocharged

VEHICLE MODELS: Prelude

DRIVE SYSTEM: Front (E-W) Engine/ Front -Wheel Drive

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. 1A-23-28

Passenger Cars  Light-Duty Trucks  Medium-Duty Vehicles  Gas  Diesel

Manufacturer HONDA Page 2

Engine Family FHNL8VOFH3 Engine Code \_\_\_\_\_

ECS (Special Features) AIV, CL, EGR, TWC CID (Liter)-Type 112(1:8), I-4

Engine Code	Vehicle Models (If Coded see attachment) (Hp) *	Trans.	Equip. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No
FH1 FH1-78 FH1/1 FH1/1-78	Prelude	M5	2625	Hitachi distributor D4R83-14  Toyo Denso distributor TD-13K	Keihin VF05C	18710-PC7 -6620	VECI See : 07.01.00-  Vac. Hose 17277-PC7 -662
FH3-67  FH3/1-67	Prelude	A4	2625	Hitachi distributor D4R83-15  Toyo Denso distributor TD-14K	Keihin VF05D		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

\* : Please refer to page 08-1 in 1985 Application.

of Issue - 07/27/84

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. #A-23-29

Passenger Cars     Light-Duty Trucks     Medium-Duty Vehicles     Gas     Diesel

Manufacturer HONDA Page 2.1

Engine Family FH1.8VOFHC3 Engine Code \_\_\_\_\_

ECS (Special Features) AIV, CL, EGR, TWC CID (Liter)-Type 112(1:8), I-4

Engine Code	Vehicle Models (If Coded see attachment) (Hp) *	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No.
FH1-85 FH1/1-85 FH1-83 FH1/1-83	Prelude	M5	2625	Hitachi distributor D4R83-14  Toyo Denso distributor TD-13K	Keihin VF05C	18710-PC7 -6620	VECI See P 07.01.00-1  Vac. Hose 17277-PC7 -662
FH3-85 FH3/1-85 FH3-83 /1-83	Prelude	A4	2625	Hitachi distributor D4R83-15  Toyo Denso distributor TD-14K	Keihin VF05D		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

and 10% to dyno test HP for air conditioning usage.

\* : Please refer to page 08-1 in 1985 Application.

Issue - 07/27/84