(Page 1 of 2)

1

# State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-247-2 Relating to Certification of New Motor Vehicles

# INDUSTRIE PININFARINA S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Industrie Pininfarina S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems		
Engine Family	CUDIC Inches	(Liters)	(Special Features)		
FPF2.0V5FMT7	122	(2.0)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the certification emission standards for this engine family to be listed on the window decal required by "California Assembly-Line Test Procedures for 1983 and Subsequent Model-Year Passenger Cars, Light-Duty Trucks and Medium-Duty Vehicles":

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.41	7.0	0.7

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.31	2.4	0.4

# INDUSTRIE PININFARINA S.p.A.

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13, California Administrative Code which includes repair or replacement of emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-vear.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $30^{47}$ 

inny

K. D. Drachand, Chief Mobile Source Division

day of

1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Nufacturer	INDUSTRIE PININFARINA S.p.A.	Executive Order No. 🖌	4-247-2
Engine Family	FPF2.ØV5FMT7	Evaporative Family	EV-2BC
		Engine CID (Liters) _	121.7(2.0)

### ABBREVIATIONS

Ignition System .

CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VY-Variable Venturi

# VEHICLE MODELS:

PININFARINA SPIDER

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

# Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection 10 - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

Die System: Front

Engine/ Rear

-Wheel Drive

012584

•					E.O.	#A-247-	2
· •	198 <b>5</b> A	IR RESOL	IRCES_BOA	RD SUPPLEMENT			
X Pass	enger Cars Li	ght-Duty	' Trucks	Medium-D	uty Vehicles	X Gas	Diesel
Manu	facturer INDUSTE	RIE PININ	IFARINA S.	p.A.	Page	2 e D61XI.14V61	DT
Engi	ce FamilyFPF2.ØV	5 FMT7	1999 - 1999 - 1999 - 1990 - 19		Code	D61YI.14V61	.BT
ECS (Special Features) TWC-CL, (EFI)				-I )	CID (Liter)- Type 121.7(2.Ø) L-4		
Engine Code	Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System CA,VA,EI	Fuel System EFI	EGR Valve	Label Ident.
				Part No.	Part No.	Part No.	Part No.
г. ВТ г. ВТ	PININFARINA Spider	M5	2625	Marelli 809 P2	Bosch Electronic Control Unit	N.A.	109840
D61XI.14V61.BT D61YI.14V61.BT		А3	2750		0.280.000.222		
			Test hp. 8.8				

Corments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -

÷.,

071080.