State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-265-1 Relating to Certification of New Motor Vehicles

BITTER AUTOMOBILE

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1985 model-year Bitter Automobile exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Displacement Cubic Inches (Liters)			Exhaust Emission Control Systems (Special Features)			
FBT3.0V5FA17	181	(3.0)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)			

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0_41	7.0	0.7	

The following are the certification emission values for the above engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.24	1.4	0.6	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.15 of Title 13. California Administrative Code which includes repair or replacement of emission central components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2036).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of October, 1984.

K. D. Drachand, Chief Mobile Source Division

iufacturer	Bitter Automobile	Executive Order No.	A-265-1
Engine Family	FBT3.0V5FA17	Evaporative Family _	BT-A
-		Engine CID (Liters)	181 (3.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue1 Injection MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Bitter SC

DRIVE SYSTEM: Front (N-S) Engine/Rear -Wheel Drive

E.O. #A -265-1 1985 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

			ght-Duty r Automob		Medium-D	uty Vehicles Page	2	Diesel
Engine Family FBT3.0V5FA17 ECS (Special Features) TWC-CL (EFI)				Engine Code - CID (Liter)- Type 181 (3.0) I 6				
Engine Code	Vehicle Mc (If Coded attachmer	odels see	Trans.	Equiv. Test Weight	Ign. System	Fuel System EFI	EGR Valve	Label Ident.
	(Hp)				Part No.	Part No.	Part No.	Part No
	*Bitter SC	(8.8)	M5 A3	3750	Electronic Control Unit 0 280 001 122	Pressure Regulator O 280 160 205	N/A	VECI FBT3.0 V5FA17-0!
						Injector 0 280 160 205		
						<i>.</i>	•	
							f	
				·			·	
							·	
j		1		ì	·			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 10/22/84