(Page 1 of 2)

## State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-10-301 Relating to Certification of New Motor Vehicles

#### FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks and medium-duty vehicles:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
GFM5.OT5HAG9	302	(5.0)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent

Inertia	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Weight	Grams per Mile	Grams per Mile	<u>Grams per mile</u>
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides <u>Grams per Mile</u>
4000-5999	0.31	3.2	0.6

FORD MOTOR COMPANY

## EXECUTIVE ORDER A-10-301 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California-Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\frac{29^{\text{II}}}{29^{\text{II}}}$  day of July, 1985.

K. D. Drachand, Chief

Mobile Source Division

Manufacturer Engine Family	GFM5.0T5H	r Company AG9	Executive Orde Evaporative Fa	61		1
			Engine CID (Li	·	2 (5.0	L)
ABBREVIATIONS						
Ignition System		Exhaust En	issions Control	System	<u>Speci</u>	<u>al Features</u>
CA-Centrifugal Ad EEC-Electronic En EI-Electronic Ign ESAC-Electronic S Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP nV-nVenturi Carbu 'V-Variable Ventu	gine Control hition park Advance , EFI, NFI retor	AIV-Air In CL-Closed EGR-Exhaus EM-Engine OC-Oxidati TOC-Trap O TOP-Trap O TR-Thermal	t Gas Recirculat Modification on Catalyst Syst xidizer Continua xidizer Periodic	em 1 a 1	CFI-C DID-D DIP-D EFI-E IC -	Injection- Direct
VEHICLE MODELS:						Fuel Injection rbocharged
F-l	50 <b>4x2</b> .			F-250 4x4	Į.	
	egular Cab uper cab	(SWB/LWB) (SWB/LWB)	•	Regular	Cab	(LWB)
F-2	50 4x2			Bronco 4x	:4	(STD)
R	egular Cab	(LWB)				
F-1	50 4x4					
	egular Cab uper Cab	(SWB/LWB) (LWB)				
URIVE SYSTEM: FI		Engine/ <u>RE</u> A OTAG	ARWheel Dri	ve		

# 1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

· · · · · · · · · ·

•

.

Page 1

Passenger Cars       X_Light-Duty Trucks       Medium-Duty Vehicles       X_Gas       Dies         Manufacturer       Ford Motor Company       Page       2         Engine Family       GFM5.0T5HAG9       Code       6-54S-ROOA/N         CID (Liter)-	e ``
Engine Family GFM5.0T5HAG9 Engine Code 6-54S-ROOA/N CID (Liter)-	
Engine FamilyGFM5.0T5HAG9 CodeCOdeCODECOdeCOdeCODE	
CID (Liter)-	
ECS (Special Features) AIP/EGR/TWC/OC/CL/EFI Type 302 (5.0L)	 
Code (If Coded see Test -12A6509C9689F483- Ic attachment) A/T Weight EEC-IV EFI	bel ent. rt No.
-54S-ROOA/N F-150 4x4 E6TF-YA E5AE-AA E6TE-BA AI	C
RCS AOX- 4250 064 4500	
AOX- 4250 067 4500	
RCL AOX- 064 4500 AOX-	
067 4500	
SCL AOX <del>,</del> 4750 064 5000	
AOX- 4750 067 5000	
F-250 4x4 RCL - 067 4750	
Bronco $4x4$ AOX- $4750$ 064 5000	
AOX- 4750 067 5000	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. ٠,

A 10% to dyno test HP for air conditioning usage.

 G5.0TAG

 Issue Date:
 JIII 9 1995

 Revised:
 17.00.00-3

· · ·				-		,		•	
		198ба	IR RESOL	RCES BOA	RD SUPPLEMENT	E.O. AL DATA SHEET	*A <u>-10-30</u> ·	L	
Pass	senger Cars	X_Li				uty Vehicles	X Gas	Diese	
Manu	ifacturer		Ford M	lotor Co	mpany	Page	3		
Engi	ine Family _	· · · · · · · · · · · · · · · · · · ·	GFM5.0T5HAG9				ir.e 6-54Q-ROOA/N		
ECS	(Special Fea	atures)	AIP	/EGR/TW	C/OC/CL/EFI	CID (Liter)- Type _	302 (5.0L	)	
Engine Code	Vehicle N (If Codec attachme	t see	Trans. A/T	Equiv. Test Weight	Ign. System -12A650- EEC-IV	Fuel System -9C968- EFI	EGR Valve	Label Ident.	
		(Hp)	A/T	Aergne	Part No.	Part No.	Part No.	Part No.	
6-54Q-R00A/	<b>т</b>				· ·				
	F-150	4x2			E6TF-TA	E5AE-AA	E6TE-BA	AEC	
	RC	s	AOX- 064	4000	•				
	RC	Ľ		4000				-	
	sc	s		4500					
	sc	Ľ		4500					
	sc	Ľ		4750					
	F-250 4		AOX-	4500					
•	RC RC		064 AOX- 067	4500					
		-			· ·				

Corments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*Add 10% to dyno test HP for air conditioning usage.

	te of Issue -		
	Engine Family	G5.0TAG	-
0.7	Issue Date: _JIII 9 1985 Revised:	17.00.00-4	