RECEIVED

MAR - 5 1985

State of California AIR RESOURCES BOARD

CALIF. Relating to Certification of New Motor Vehicles DEPT. 7240

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks and medium-duty vehicles:

Engine Family	Displacem Cubic Inches		Exhaust Emission Control Systems (Special Features)		
GCR5.2T2HBN2	318	(5.2)	Air Injection-Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop		

Vehicle models, transmissions and engine codes are listed on attachments.

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Hydrocarbons Weight Grams per Mile		Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile	
4000-5999	0.50	9.0	1.0	

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.33	5.9	0.9

بخر ام

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of February, 1985.

K. D. Drachand, Chief Mobile Source Division

DIP-Diesel

EFI-Electronic

Fue1

IC - Intercooler

MFI-Mechanical Fue 1

Injection-

Prechamber

Injection

Injection TC-Turbocharged

1986 AIR R	ESOURCES BOAR	D SUPPLEMENTAL DATA SHEET	Page 1	
Cturer	TION	Executive Order No. A-9	1–149	
Engine FamilyGCR5.2T2HBN2	Ò	_ Evaporative Family _{GCRTK}	& GCRTL	
	Engine CID (Liters)31		8 (5.2)	
ABBREVIATIONS	· ·.		•	
Ignition System	Exhaust Em	issions Control System	Special Features	
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continuous		CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct	

TR-Thermal Reactor

TOI-Trap Oxidizer Intermittent

TWC-Three-Way Catalyst System

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor YV-Variable Venturi

VR-Vacuum Retard

Dodge Ramcharger

CARLINE VEHICLE MODELS: Dodge Van/Wagon B150;B250;B350 Dodge Pickup D100;D150;D250; W100;W150

Diva SYSTEM: Engine/ Rear -Wheel Drive Front

AD150;AW150

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

4	Passenger Cars	<u>x</u> Light-l	Duty Trucks	$_{ extbf{X}}$ Medium-Duty	Vehicles	<u>x</u> Gas	Diesel
	Manufacturer _	CHRYSLER CO	RPORATION	_	Page	2	
	Engine Family	GCR5.2T2HBN	i2			M-1;A-1;	A-2;A-3
	ECS (Special Fe	atures) AI	P,EGR,TWC,CI	CI	(Liter)- Type	318(5.2)	- v8
	 	·			• •		

Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System ESA/EFC Part No.	Fuel System 2V Part No.	EGR Valve	Label Ident. Part No.
M-1	D100;D150;B150; B250	M4OD	4250	04289845	04324633	04287673	VECI 4288991
	B150;B250		4500				VAC. HOSE
	B150;B250		4750				4306827 B-MODELS
A-1	D100;D150;B150; B250		4250	04289977			4306814 D&W-MODELS
	B150;B250		4500	· · · · · · · · · · · · · · · · · · ·			
	W100;W150;B150 B250;AD150;D250			4419357**		04287651	
	W100;W150;B150; B250	·	4750				
	B250;AW150 *B250		5000 5250				
A-3	D250;AD150		4500		ſ	04287684	
	в350	Ī	4750				
	в350		5000				
		ļ	+5250	l	1		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 02/19/85

*Revised - 08/09/85: Running Change 2T dated 07/24/85. Revise test weight & engine

code of the B2L53 model.

**Revised - 12/20/85: R.C. 65T dated 12/09/85. Release alternate ESA/EFC unit to reduce

radio frequency interference.

071080 + Revised - 04/22/85: R.C. 78T dated 04/16/86. Production weight update.

E.O. #A -9-149

198 6 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Medium-Duty Vehicles

Manu	ne family GCR5.2	tifica i seksi 🥶			Page Engin Code	3 • A-4	
	(Special Features)	CID (Liter)- Type _	318 (5.2) -V8				
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System ESA/EFC Part No.	Fuel System 2V Part No.	EGR Valve	Label Ident. Part No.
*A-4	AD150	A-3	4500	4379236	04324633	04287651	VECI 4288991
	AW150		. 5000				VAC. HOSE B-MODELS
*M-2	D100;D150;B150; B250	M-4QD	4250	4289845		04287673	4306827 D-MODELS
	B150;B250	 	4500			·	4306814
	B150;B250		4750	,			
·							
						·	
					•	•	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 07/26/85:*(Running Change 38T, dated 07/03/85. Calibration revision of the ESA/EFC unit.)

**(Running Change 39T, dated 07/16/85. Release 1985 ESA/EFC unit for manual transmission models.)

E.O. #A -9-149

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manu	enger Cars X Li facturer CHRYSI ne Family GCR5.2	ER CORPO		<u>x</u> Medium-Du	Page Engin Code	4	Diesel A-7)*
ECS	(Special Features)	AIP,E	GR,TWC,C	L	CID (Liter)- Type _	318 (5.2) -V8	· · · · · · · · · · · · · · · · · · ·
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System ESA/EFC	Fuel System 2V	EGR Valve	Label Ident.
	attachment)		Weight	Part No.	Part No.	Part No.	Part No.
M-3*	D100;D150;B150; B250	M40D	4250	4379107*	04324633	04287673	VECI 4288991
	B150;B250		4500				VAC. HOSE 4306827
	B150;B250		4750				B-MODELS
A-5*	D100;D150;B150; B250	A3	4250	4379096* 4419357**			4306814 D&W-MODELS
	B150;B250		4500	-			
(0*	W100;W150;B150 B250;AD150;D250					04287651	
	W100;W150;B150; B250	·	4750				
	B250;AW150		5000				
A-7*	D250;AD150		4500			04287684	
	B350		4750				
	B350		5000				
			*5250				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 11/12/85: *R.C. 51T dated 10/28/85. Release new ESA unit with revised spark governor curve & speed/vacuum modulation for all sea level models & add 7 sec. delay for closed loop vac. trip for all auto. transmission equipped models.

**Revised - 12/20/85: R.C. 65T dated 12/09/85. Release alternate ESA/EFC unit to reduce radio frequency interference.

E.O. /A -9-149

198 6 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Pass	enger Cars 🗓 🗓	Light-Duty	Trucks	X Medium-D	uty Vehicles	X Gas	Diesel	
Manu	facturerCH	RYSLER CORF	ORATION		Page .	5		
Engi	ne Family <u>GC</u> (Special Featur	R5.2T2HBN2	Ğ	Engine Code (A-8)*				
Engine Code	Vehicle Mode (If Coded se attachment)	els Trans.	Equiv. Test Weight	Ign. System ESA/EFC Part No.	Fuel System 2V Part No.	EGR Valve	Label Ident. Part No.	
A-8*	AD150 .	A-3	4500 5000	4379098*	04324633	04287651	VECI 4288991 VAC. HOSE	
				•			B-MODELS 4306827 D-MODELS 4306814	
		·						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 11/12/85:

*R.C. 51T dated 10/28/85. Release new ESA unit with revised spark governor curve & speed/vacuum modulation for all sea level models & add 7 sec. delay for closed loop vac. trip for all auto. transmission equipped models.