

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-87
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
GTY2.4T5FBB6	144.4 (2.4)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3999	0.39	9.0	1.0
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.20	2.1	0.2
4000-5999	0.27	3.0	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26th day of August, 1985.



K. D. Drachand, Chief
Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1Manufacturer Toyota Motor CorporationExecutive Order No. A-14-87Engine Family GY2.4T5FB6Evaporative Family EV-EEngine CID (Liters) 144.4 (2.4)**ABBREVIATIONS**Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance
 Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 TOC-Trap Oxidizer Continual
 TOP-Trap Oxidizer Periodical
 TR-Thermal Reactor
 TWC-Three Way Catalyst System

Special Features

OCV-Combustion
 Chamber Valve
 CFI-Central Fuel
 Injection
 DID-Diesel
 Injection-
 Direct
 DIP-Diesel
 Injection-
 Prechamber
 EFI-Electronic
 Fuel Injection
 IC-Intercooler
 MFI-Mechanical
 Fuel Injection
 TC-Turbocharged

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor
 W-Variable Venturi

VEHICLE MODELS :

Truck 2WD & 1-ton Truck 2WD	Cab & Chassis 2WD	Truck 4WD	4-Runner 4WD
RN55L-MSEA	RN55L-KREA3W	RN61L-MSEA	RN61LG-MDEA
-MSCEA	-KRTEA3W	RN66L-MSEA	-MSEA
-MRHEA	-SREA3W	-MSCEA	-PDEA
-PSCEA	-SRTEA3W	-PDEA	RN61LV-MDEA
-SRHEA	RN75L-KRTEA3W	-PDCEA	-PDEA
	-SDTEA3W		

DRIVE SYSTEM : RN55L, RN75L series; Front Engine/Rear - Wheel DriveRN61L, RN66L, RN61LG, RN61LV series; Front Engine/4 - Wheel Drive

Age : 17-85

Issued : 06/05/85

Rev. 1 : 07/1/85

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel

Manufacturer Toyota Motor Corporation Page 2
 Engine Family GT2.4T5FBB6 Engine Code 1 thru 28
 CID (Liter) - 144.4(2.4)
 ECS (Special Features) CL + EGR + TWC (EFI) Type 4 cyl. in-line

Engine code	Vehicle Models (If Coded see attachment) Refer to 08.13.03.00	Trans.	Equiv. Test Weight	Ign. System EEC, EI, ESAC Part No. [Computer] [Knock sensor] *1	Fuel System CL, EFI Part No. [Computer] [Air flow meter] [Injector]	EGR Valve Part No.	Label Ident. Part No.
1 thru 4	RN55L-MSEA -MSCEA -MRHEA	M5	3,000 3,125	89661-35060 89615-35010 89615-35020	89661-35060 22250-35020 23250-45011	25620-35100	11298-35770
5, 7	RN55L-KREA3W -KRTEA3W RN75L-KRTEA3W	M4	4,000	89661-35040 89615-35010 89615-35020	89661-35040 22250-35020 23250-45011	25620-35130	11298-35760
6, 8	RN55L-KRTEA3W RN75L-KRTEA3W						
9 thru 12	RN55L-PSCEA -SRHEA	A4	3,000 3,125	89661-35060 89615-35010 89615-35020	89661-35060 22250-35020 23250-45011	25620-35100	11298-35770
13, 15	RN55L-SREA3W -SRTEA3W -SDTEA3W		4,000	89661-35040 89615-35010 89615-35020	89661-35040 22250-35020 23250-45011	25620-35130	11298-35760
14, 16	RN55L-SRTEA3W -SDTEA3W						
17 thru 20	RN61L-MSEA RN66L-MSEA -MSCEA	M5	3,500 3,625	89661-35070 89615-35010 89615-35020	89661-35070 22250-35020 23250-45011	25620-35100	11298-35770