State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-102 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems -(Special Features)		
GNS2.4T5HACX	145.8 ((2.4)	Exhaust Gas Recirculation Three-Way Catalyst and Oxidizing Catalyst with Closed Loop Air Injection Valve (Central Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile	
0-3999	0.39	9.0	1.0	
4000-5999	0.50	9.0	1.0	

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.12	3.7	0.3
4000-5999	0.10	4.5	0.3

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ___

 $/\theta^{\nu\prime}$ day of December, 1985.

K. D. Drachand, Chief Mobile Source Division

Automatic

1986 AII	R RESOURCES BOARD SUPPLEMENTAL DATA	SHEET Page 1
Manufacturer NISSAN MOTOR CO	O., LTD. Executive Order No	oA-15-102
Engine Family GNS2.4T5HACX	Evaporative Family	/TBI - 1
	Engine CID (Liter:	145.8 (2.4)
ABBREVIATIONS		
Ignition System .	Exhaust Emissions Control Syst	tem Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor Vi jariable Venturi	CL-Closed Loop	CCV-Combustion Chamber Valv CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged
VEHICLE MODELS:		
Engine Code	<u>Model</u>	Transmission
AZ24SCM6 BZ24SCM6	Nissan Standard Regular Bed Nissan Regular Bed Nissan Long Bed Nissan King Bed	5-Speed Manual
AZ24SCM7 BZ24SCM7	Nissan Regular Bed 4X4 Nissan Long Bed 4X4 Nissan King Bed 4X4	

Engine/ 2 Rear & 4 -Wheel Drive Front

Nissan Regular Bed Nissan Long Bed Nissan King Bed

·AZ24SCA6

BZ24SCA6

* .							
	1986 A	IR RESOL	IRCES BOA	ARD SUPPLEMENTA	E.O. AL DATA SHEET	#A <u>-15-102</u>	
Pass	enger Cars <u>X</u> Li			• •		× Gas	Diesel
Manu	facturer NISSAN	MOTO	or co.	, LTD.	Page	2	
	ne Family <u>GNS</u> 2				Engin Code	ALL	
ECS	(Special Features)	CFI/EG	RITWC	OC/CL/2 Plu	(ID () {+am}	145.8 (2.4) In-line 4,	OHC
ngine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System	Fuel System	EGR Valve	Label
0046	attachment)		Weight	EEC	CFI		Ident.
				Part No.	Part No.	Part No.	Part No
+SCM6	Std. Regular Bed		3125				
	E, SE X XE Regular Bed		3250				
	EXXE Long Bed				Control Unit:	-	Vericle
	E King Bed		· •	}	MECS-GO11		Emission
	SE Long Bed			·			Control
	SE & XE King Bed		3375			•	Informa tion
	V	M5		Distaibutor:	Injection Body Assembly:	`	14805
4SCM6	Std. Regular Bed E & XE Regular	. , -	3125	D4P84-04	RGA 50-12		04G00 04G01
	Bed		 	(HITACHI)		BPT Valve:	,
	EXXE Long Bed			TOT 80671		ATI 75-15	Vacuum
•	SE Regular Bed SE Long Bed		32.50	(HITSUBISHI)			Hose
	EXXE King Bed					EGR. Valve:	Routing Diagram
						AEY76-88	22304
	SE King Bed		337 <i>5</i>		·		04 900
4SCA6	SE Regular Bed		3125		Control Unit:		04.001 ¹
	SE Long Bed				MECS-GO16		Ē.

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

1/ With RC NO.G24T5HAC-O

Injection Body

RGA 50-11

Assembly:

3250

3375

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 12/09/85 Date of Revision - 1/30/85

EXXE Regular

E& XE Long Bea

Bed

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars X Light-Duty Trucks __ Medium-Duty Vehicles X Gas __ Diesel

Manufacturer NISSAN MOTOR CO., LTD. _____ Page 3

Engine Family GNS 2.4 T5 HACX

Engine Code All

ECS (Special Features) CFI/EGR/AIV/TWC/OC/CL/2 Plug Type In-line 4, OHC

	T	1			0 .7 -		
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System EEC Part No.	Fuel System CFI Part No.	EGR Valve	Label Ident.
₹24SCA6	E & XE Regular Bed SE Regular Bed E, SE & XE Long Bed E & XE King Bed SE King Bed	3250 L4 3375 3750	3250	Distributor:	Control Unit MECS-G016 Injection Body Assembly: RGA50-11 BPT Valve: ATI 75-15	Vehicle Emission Control Information 14805 04G01 Vacuum Hose Routing Diagram	
1Z24SCM7	EXXE Regular Bed 4x4 XE Long Bed 4x4 XE King Bed 4x4		(HITACHI) TOT 80671 (MITSUBISHI)	Control Unit: MECS-G011 Injection Body	EGR Valve: AEY76-88		
3Z 24 SCM 7	EXXE Regular Bed 4x4 XE Long Bed '4x4 XE King Bed 4x4	M 5	3425 3750 3875		Assembly : RGA50-12		22304 04600 04G01 [±]

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

with R/c No. G24T5 HAC-OI

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 12/09/85

Date f Devision - 1/30/86 1/