State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-80 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code. Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displac Cubic Inche	ement s (Liters)	Exhaust Emission Control Systems (Special Features)		
GTY1.6V2FCCO	88.6/96.8	(1.5/1.6)	Air Injection-Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	•	Nitrogen Oxides
Grams per Mile	Grams per Mile		Grams per mile
0.39	7.0		0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>	
0.27	2.5	0.5	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 M

day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

17,10.00 Supplemental data sheets

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

			Page	<u> 1</u>
lanufacturer To	yota Motor Corporation	Executive Order No.	A-14-80	-
Engine Family	GTY1.6V2FCC0	Evaporative Family	EV-A	•
		Engine CID (Liters)	88.6/96.8(1.5/1.6)	
		•		

APPREVIATIONS

Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance

VA-Vacuum Advance VR-Vacuum Retard

Control

Exhaust Emissions Control System Special Features AIP-Air Injection-Pump CCV-Cosbustion ATV-Air Injection-Valve Chamber Valve CFI-Central Fuel CL-Closed Loop Injection EGR-Exhaust Gas Recirculation DID-Diesel EM-Engine Modification Injection-OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual Direct DIP-Diesel TOP-Trap Oxidizer Periodical Injection-TR-Thermal Reactor Prechamber TWC-Three Way Catalyst System EFI-Electronic

Puel System

CPI, CL, DID, DIP, EPI, MPI nV-nVenturi Carburetor W-Variable Venturi Fuel Injection
IC-Intercooler
MFI-Mechanical
Fuel Injection

TC-Turbocharged

vehicle models :

Corolla	Corolla sport	Tercel	Tercel wgn. 2WD	Tercel wgn. 4WD
AE82L-EEMOCA -EEMOCA	AE86L-ECMICA -ESMXCA	AL21L-2GKRCA -2GMCCA	AL211G-ZAMDCA -ZAHDCA	AL251G-2MFDCA -2MFQCA -2MHDCA
-ELMDCA -EEHDCA -ELHDCA	-ESPACA -ECPXCA	-ZEMOCA -ZGMOCA -ZHHOCA		Bulbar
-EEPECA				

DRIVE SYSTEM: AL21L, AL21LG, AE82L series; Front Engine/Front - Wheel Drive

AE86L series; Front Engine/Rear - Wheel Drive

AL25LG series ; Front Engine/4 - Wheel Drive

Page : 17-56

Issued: 06/05/85 Rev. 1: 07/1/85

-EEPNCA

E.O.	#A -	14-80		
------	------	-------	--	--

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

<u>x</u> Passeng	er Cars L1	gnt-Dut	y Truck	s Medlu	n-Duty Vehic	les <u>x</u> Gas	Diesel
	r <u>Toyo</u> ly <u>GTYl</u>				Engine	2 e 1 thru 3 & 14R1 t	0
	l Features)				CID (Liter)-	88.6/96.8(4 cyl. in-	1.5/1.6)
Engine code	Vehicle Models (If Coded see attachment) Refer to 08.13.03.00	Trans.	Test	EI, CA, VA Part No. [Distribu-	2V, CL Part No.		Label Ident.
1, 30	AL21L-ZGKRCA	M4	2,250 2,375	19030-15060	21100-15340	25620-15210	11298-15191
2 thru 5	AL21L-ZGMDCA -ZHMDCA AL21LG-ZWMDCA AL25LG-ZWFDCA -ZWFOCA	м5	2,375 2,500 2,625		·		
6 thru 9	AL21L-ZGHDCA -ZHHDCA AL21LG-ZWHDCA	АЗ	2,375 2,500				
10 thru 13	AL25LG-ZWHDCA	! ! ! !	2,625			·	
14 thru 17	AE82L-EEMDCA -EEMNCA -ELMDCA	M5	2,500 2,625	19030-16081	21100-16210	25620-15250	11298-16270
18 thru 21	AE82L-EEHDCA -ELHDCA	A3	2,500 2,625			25620-15030	
	-EEPECA -EEPNCA	A4	2,500 2,625				
14R1 thru 17R1 *1	AE82L-EEMDCA -EEMNCA -ELMDCA	M 5	2,500 2,625	19030-16082		25620-15250	
18R1 thru 21R1 *1	AE82L-EEHDCA -ELHDCA	A3	2,500 2,625	·	,	25620-15030	
•	-EEPECA -EEPNCA	A4	2,500 2,625		ļ		

Note *1 : After running change 86-R-9

Page : 17-57

Issued: 06/05/85 86-R-9: 02/21/86

86-R-11: 08/29/86

Engine	Vehicle Models (If Coded see	Trans.	Test	l •	2V, CL		Label Ident
code	attachment) Refer to 08.13.03.00		Weight	Part No. [Distribu- tor]	Part No. [Carbure- tor]	Part No.	Part No.
22 thru 25 & 22R1 thru 25R1 *1	AE86L-ESMXCA -ECMXCA	M 5	2,500 2,625	19030-16101	21100-16220	25620-15250	11298-16300
26 thru 29 & 26Rl thru 29Rl *1	AE86L-ESPXCA ECPXCA	A4	2,625			25620-15030	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Note *1 : After running change 86-R-9

Page : 17-58

Issued: 06/05/85 86-R-9: 02/21/86