State of California AIR RESOURCES BOARD.

EXECUTIVE ORDER A-15-101 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1986 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
GNS2.OV5FBC3	120.4	(2.0)	Exhaust Gas Recirculation Air Injection Valve Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per mile	Grams per Mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.12	1,8	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_day of August, 1985.

K. D. Drachand, Chief Mobile Source Division

7.01.02.00 1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET NISSAN MOTOR CO., LTD. Executive Order No. A - 15 - 101 Engine Family GNS2.OV5FBC3 Evaporative Family Engine CID (Liters) 120.4 CID (2.0 liter) ABBREVIATIONS Ignition System Exhaust Emissions Control System Special Features CA-Centrifugal Advance AIP-Air Injection-Pump CCV-Combustion EEC-Electronic Engine Control AIV-Air Injection-Valve Chamber Valve EI-Electronic Ignition CL-Closed Loop CFI-Central Fuel ESAC-Electronic Spark Advance EGR-Exhaust Gas Recirculation Injection Control EM-Engine Modification DID-Diesel VA-Vacuum Advance OC-Oxidation Catalyst System Injection-VR-Vacuum Retard TR-Thermal Reactor Direct TWC-Three Way Catalyst System DIP-Diesel ECC-Electronic Control Carburetor Injection-ECCS-Electronic Concentrated Prechamber Fuel System Control System EFI-Electronic CFI, CL, DID, DIP, EFI, MFI Fuel -V-nVenturi Carburetor Injection -Variable Venturi MFI-Mechanical Fuel Injection TC-Turbocharged VEHICLE MODELS: AC20ECM4 5-speed Manual BC20ECM4 STANZA WAGON 4WD STANZA WAGON 4WD AC20ECA4 5-DOOR WAGON XE Automatic BC20ECA4

DRIVE SYSTEM: Front Engine/ Front -Wheel Di	DRIVE	YSTEM: Front	Engine/Front	Wheel I)rive
---	-------	--------------	--------------	---------	-------

Issue Date: 07/16/85 Revision Date:

17.01.02.00 - cont.

					E.O.	#A-15-101
AIR	RESOURCES	ROARD	CIIDDI PMENMAT	D 4 C 4		

				DORRE	JUPPE	LILIN I'A	L DATA SH	EET	
X Passen			CO., LT		Mediu	n-Ducy	Vehicles Page	X Gas	Diesel
Engine Fan ECS (Speci	oily GNS2	.0V5FBC	3 R/AIV/T	WC/CL/2	2 plug	CID	Engine Code (Liter)-	BC20ECM4	AC20ECA4 BC20ECA4 (2.0 liter)
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. S	System	Fuel	System	EGR Valve	Label Ident.

Engine Code	Vehicle Models If Coded see attachment)	Trans.	Equiv. Test Weight		Fuel System Part No.	EGR Valve	Label Ident.
AC20ECM4 BC20ECM4 AC20ECA4 BC20ECA4	STANZA WAGON 4WD	M5	3375	Distributor D4N84-18 (HITACHI) TOT60279 (MITSUBISHI) Distributor D4N84-19 (HITACHI) TOT60280 (MITSUBISHI)	Control Unit A11-684 Air Flow Meter A31-632 Injector A46-001 (JECS) A46-002 (DKC) Control Unit A11-685 Air Flow Meter A31-632 Injector A46-001 (JECS) A46-002		Vehicle Emission Control Information 14805 20R10- 14805 20R12 Vacuum Hose Routing Diagram 22304 29R00 22304 20R02

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment on 17.01.03.00. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

1/ with P/c No. GZOV5FBC-01

Date: 07/16/85
Readion Date: 1/30/86 1/

17.01.03.00 Test Weight/Horsepower List

		Test Horsepower				
Vehicle Model	Test Weight	Determination Method	With A/C factor	Without A/C factor		
STANZA WAGON	3,375	Coastdown	12.5	11.4		

Issue Date: 07/16/85
Revision Date: