State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-96 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Nissan Motor Co., Ltd exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

| Engine Family | Displace Cubic Inches | ment (Liters) | Exhaust Emission Control Systems (Special Features) |
|---------------|--------------------------|------------------|---|
| GNS2.0V5FCC5 | 120.4 | (2.0) | Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection) |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|----------------|-----------------|-----------------|
| Grams per Mile | Grams per Mile | Grams per mile |
| 0.39 | 7.0 | -0.7 |

The following are the certification emission values for this engine family:

| Hydrocarbons | Carbon Monoxide | Nitrogen Oxides | | |
|----------------|-----------------|-----------------------|--|--|
| Grams per Mile | Grams per Mile | <u>Grams per Mile</u> | | |
| 0.21 | 1.8 | 0.1 | | |

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et \underline{seq}).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

 $\frac{1}{2}$ day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

.01.02.00 198 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Manufacturer NISSAN MOTOR CO., LTD. Executive Order No. A -15 - 96 Engine Family __ GNS2.0V5FCC5 Evaporative Family _____FI4-2 Engine CID (Liters) 120.4 C.I.D. (2.0 liters) **ABBREVIATIONS** Ignition System Exhaust Emissions Control System Special Features CA-Centrifugal Advance AIP-Air Injection-Pump CCV-Combustion EEC-Electronic Engine Control AIV-Air Injection-Valve Chamber Valve EI-Electronic Ignition CL-Closed Loop CFI-Central Fuel ESAC-Electronic Spark Advance EGR-Exhaust Gas Recirculation Injection Control EM-Engine Modification DID-Diesel VA-Vacuum Advance OC-Oxidation Catalyst System Injection-VR-Vacuum Retard TR-Thermal Reactor Direct TWC-Three Way Catalyst System DIP-Diesel. ECC-Electronic Control Carburetor Injection-ECCS-Electronic Concentrated Prechamber Fuel System Control System EFI-Electronic CFI, CL, DID, DIP, EFI, MFI Fuel nV-nVenturi Carburetor Injection -Variable Venturi MFI-Mechanical Fuel Injection TC-Turbocharged VEHICLE MODELS: 200SX NOTCHBACK DELUXE AC20ECM5 200SX NOTCHBACK XE

200SX HATHCBACK DELUXE

200SX HATCHBACK XE

5-Speed manual

DRIVE SYSTEM: Engine/ Rear -Wheel Drive

Issue Date: 06/17/85 Revision Date:

BC20ECM5

17.01.02.00 - cont.

| Ξ.Ο. | #A | _ | 15 | _ | 9 | 6 | |
|------|----|---|----|---|---|---|--|
|------|----|---|----|---|---|---|--|

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

| X Passenger | Cars | Light-Duty | Trucks | 1 | iedium-Duty | Vehicles | X Ga | ıs _ | _ Die | esel |
|---------------|-----------|------------|---------|-------|--------------|------------------|------|------|-------|--------|
| Manufacturer | NISSAN | MOTOR CO., | LTD. | 1 | | Page | | | | |
| Engine Family | GNS2 | .0V5FCC5 | | | | Engine Code | | | | |
| ECS (Special | Features) | EFI/EGR/ | TWC/CL/ | 2plug | CID | (Liter)- Type | | CID | (2.0 | liter) |

| Engine Code | Vehicle Models (If Coded see attachment) | | Equiv. Test Weight | | Fuel System Part No. | EGR Valve | Label Ident. Part No. |
|----------------------|---|-----|--------------------------|---|---|-----------|---|
| AC20ECM5 BC20ECM5 | 200sx | M-5 | 2875 3000 3125 | Distributor HITACHI D4N84-16 MITSUBISHI TOT 60379 | Control Unit A11-680 Air Flow Meter A31-633 Injector A46-001 (JECS) A46-002 (DKC) | AEY76-9 9 | Vehicle Emission Information 14805 08F00 Vacuum Hose Routing Diagram 22304 07F00 |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment on 17.01.03.00.

If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Issue Date: 06/17/85 Revision Date: