State of California AIR RESOURCES BOARD.

EXECUTIVE ORDER A-3-63 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for diesel-powered passenger cars:

Displaceme Engine Family Cubic Inches (Exhaust Emission Control Systems (Special Features)		
GMB2.5D6JA13	152.5	(2.5)	Exhaust Gas Recirculation (Diesel Injection-Prechamber)		

Vehicle models, transmissions and engine codes are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Carbon Monoxide Grams per Mile Grams per Mile		Nitrogen Oxides Grams per mile	Particulates Grams per Mile	
0.46	8.3	1.0	0.2	

The following are the certification emission values for this engine family:

Hydrocarbons Carbon Monoxide Grams per Mile Grams per Mile		Nitrogen Oxides Grams per Mile	Particulates Grams per Mile	
0.14	1.0	0.9	0.2	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".



BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 384 day of August, 1985.

K. D. Drachand, Chief Mobile Source Division

Manufacturer	Daimler Benz AG	Executive Order No. $A-3-63$
Engine Family	yGMB2.5D6JA13	Evaporative Family DNA
		Engine CID (Liters)
ABBREVIATION	S	

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Yacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Featur

CCY-Combustion Chamber \ CFI-Central Fu Injection DID-Diesel Injection Direct DIP-Diesel Injection Prechambe EFI-Electronic Fuel Injection MFI-Mechanical Fue1 Injection

TC-Turbocharge

VEHICLE MODELS:

19002.5

DRIVE SYSTEM: FRONT Engine/ REAR -Wheel Drive



986 AIR RESOURCES ROADD SUPPLEMENTAL DATA SUFET

	1300	MIK KESU	INKLES BU	AKD SUPPLEMENT	TAL DATA SHEET		
<u>x</u> Pas	senger Cars L	.ight-Dut	y Trucks	Medium-D	Outy Vehicles	Gas	<u>C</u> Diesel
Man Man	ufacturer Dain	nler-Benz	AG		Page		-
Eng	Engine Family GMB2.5D6JA13				Engine Code 0M602		
ECS (Special Features) EGR (DIP)				CID (Liter)- Type	152.5 (2.5)-L-5		
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Valve	Label Ident.
		<u> </u>	les	Part No.	Part No.	Part No.	Part No
0M602	19002.5	A4,M5	3250	DNA	FI-Pump:	6171400160	Tune-up:
					PES5M55C320- -RS159		201584362
					Governor: RSF/340/2300- -M60-3		Vac. Line Diagr.: 2015843221
							,

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -



