(Page 1 of 2)

State of California AIR RESOURCES BOARD,

EXECUTIVE ORDER A-3-65 Relating to Certification of New Motor Vehicles

DAIMLÉR-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-8 and G-45-4;

IT IS ORDERED AND RESULVED: That 1986 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

	Displacement	Exhaust Emission Control Systems
Engine Family	Cubic Inches (Liters)	(Special Features)
GMB2.3V6FA10	140 (2.3)	Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

(Mechanical Fuel Injection)

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.46	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.31	2.4	0.2

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer. DAIMLER-BENZ AG -

· . ·

EXECUTIVE ORDER A-3-65 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the Nisted vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30^{17} day of August, 1985.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

ŧ

Manufacturer	Caimler-Benz AG	Executive Order No	1-3-65
Engine Family	GMB2.3V6FA10	Evaporative Family	GMB V6
		Engine CID (Liters)	140 (2.3)
ABBREVIATIONS			
Ignition System	Exhaust	Emissions Control System	Special Featur
CA-Centrifugal Advan EEC-Electronic Engin EI-Electronic Ignit ESAC-Electronic Span Control VA-Yacuum Advance	ne Control AIV-Air ion CL-Closed rk Advance EGR-Exhau EM-Engine	ust Gas Recirculation Modification	CCY-Combustion Chamber N CFI-Central Fu Injection DID-Diesel
VR-Vacuum Retard	TR-Therma	tion Catalyst System	Injectior Direct
Fuel System CFI, CL, DID, DIP, E nV-nVenturi Carburet VY-Variable Venturi VEHICLE MODELS: 190E	FI, MFI or	e-Way Catalyst System	DIP-Diesel Injectior Prechambe EFI-Electronic Fuel Injection MFI-Mechanical Fuel Injection TC-Turbocharge
DRIVE SYSTEM:	ont Engine/	rWheel Drive	

•

(

(

* *	198 6 A	IR RESOL	JRCES BOA	RD SUPPLEMENT		HA -3-65	- î
	enger Cars <u> Li</u> facturer <u> Daim</u> l			Medium-De	uty Vehicles Page	· · · ·	Diesel
	ne FamilyGMB2.				Engin Code	e M1o2-1	
ECS	(Special Features)	CL,TV	VC (MFI)		CID (Liter)- Type	140 (2.3) L	-4
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight Ibs	Ign. System VA Part No.	Fuel System MFI Part No.	EGR Valve	Label Ident. Part No.
M102-1	190E2.3	A4,M5	3125	003 158 2801	Fuel Distri- butor: 0 438 101 004 Air Sensor: 0 258 003 015	DNA	Tune-up: 2015843421 Vac. Line Diagr.: 2015843021

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue -



4