State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-7-99 Relating to Certification of New Motor Vehicles

VOLKSWAGENWERK AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Volkswagenwerk AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement <u>Cubic Inches (Liters)</u>	Exhaust Emission Control Systems (Special Features)
GVW2.2V6FBC0	136 (2.22)	Three-Way Catalyst with Closed Loop (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	<u>Grams per mile</u>	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.24	2.4	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of August, 1985.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer VOLKSWA Engine Family 6VW 2.2		EN AG	_ Executive Order No.	A-7-99
		V6FBC0 Evaporative Family		VWBN
			Engine CID (liters)	136 (2.22)
ABBREVIATIONS				
Ignition System	1	Exhaust Emi	ssions Control System	Special Features
CA-Centrifugal EEC-Electronic EI-Electronic ESAC-Electronic Advance VA-Vacuum Adva VR-Vacuum Reta	Engine Control Ignition c Spark Control nce	AIV-Air Inj CL-Closed L EGR-Exhaust EM-Engine M OC-Oxidatio TOC-Trap Ox TOP-Trap Ox TR-Thermal	Gas Recirculation lodification lodification long Catalyst System lidizer Continual lidizer Periodical	CCV-Cumbustion Chamber Valv CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic
Fuel System CFI, CL, DID, I EFI, MFI nV-nVenturi Ca VV-Variable Ve	rburetor			Fuel Injection IC-Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Quantum Sedan Quantum Wagon

*Reused: 01/20/86 Add'n of made (

DRIVE	SYSTEM:	Front	Engine/	Front	-Wheel	Drive
-------	---------	-------	---------	-------	--------	-------

E.O. #A -7-99 1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

X Passenger Cars	Light-Duty Tru	icks Medium	-Duty Veh	icles <u>X</u> Gas	Diesel
Manufacturer	VOLKSWAGEN AG		Page		
Engine Family	GVW 2.2 V6FBC0		Engine code	NLCHIMB	
	ures) <u>CL, TWC, (</u> M		(Liter)- Type	136 (2.22) -	L5

			•					
Engine Code	iVehicle Mode !(If coded se !attachment)	els!Trans. ee ! !	Equiv. Test Weight		Fuel System Part No.	EGR Valve	! Label ! Ident. ! ! Part No.	
NLCHIMB	 Quantum Sedi 	an ! M5	2875	EI 211905351, orl 211905351A,orl 211905351B,orl 211905351D CA,VA 034905205F,orl	CL 811906264C,or 811906264D,or 811906264E		TUL 811010002F VHRD 034000363T	1
	!	! ! A3	! ! * !	ø	. *	41	i	
*	i ! " Wag	on M5	1 3000	#	•	•	. 1 . 1	
	H H	A3		4	•	H ·	1 * 1 1 1	
	!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!!							
	1	1	3	š) and the second second	•	•	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

* Add 10 % to dyno test HP for air conditioning usage.

Date of Issue 04-19-85

Revision Date @1-90-86