State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-72 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
GTK1.3V5HFD8	40X2 .	(1.3)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	<u>Grams per Mile</u>	Grams per mile	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.14	1.5	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Ρ	ace	1
•		•

Manufacturer	Mazda Motor Corporation	Executive Order No.	A-16-72
Engine Family	GTK1.3V5HFD8	_ Evaporative Family _	D
		Engine CID (Liters)	40.0 x 2 (1.3)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
, CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
NV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCY-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Mazda RX-7

DRIVE SYSTEM: Front Engine/ Rear -Wheel Drive

,		1096 5		IDEES ROA	SO CHOOLEMENT	E.O.3 TAL DATA SHEET	*A -16-72	
<u>X</u> Passi	enger Cars				-	Outy Vehicles	X Gas	Diesel
	facturer _				ntion	Engir.	2 e FR13-M, FR1	3-MC
Engir	ne Famil y j		GTK1	.3V5HFD8		Code CID (Liter)-	FR13-A, FRI	L3-AC
ECS	(Special Fe	eatures)	AIP/C	L/EFI/ÈGF	R/OC/TWC	Type _	R2	
Engine Code	Vehicle (If Code	ed see	Trans.	Equiv. Test	Ign. System	Fuel System	EGR Valve	Labei Ident.
	attacha	ent) (dh)		Weight	Part No.	Part No.	Part No.	Part N
FR13-M (w/o A/C) , , , , , , , , , , , , , , , , , , ,	MAZDA	6.6*1 7.0*2 6.5*3 7.3*1 7.7*2 7.2*3	M5	2875	Sensor:	Fuel Injector:		N326
FR13-A (w/o A/C)	RX-7	6.5 ^{*1} 6.6 ^{*2} 6.3 ^{*3} 7.2 ^{*1}	6 ^{*2} 3 ^{*3} 2 ^{*1}	30 00	029400-0020	195500-1350	X1 25 1-EGV-100A	N327
FR13-AC (w/ A/C)		7.3 ^{*2} 6.9 ^{*3}						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

^{*}Add 10% to dyno test HP for air conditioning usage.

te of Issue - May 28, 1985

^{*1:} for 185/70HR14 Tire

^{*2:} for P205/60VR15 (BRIDGESTONE) Tire

^{*3:} for P205/60VR15 (PIRELLI) Tire