State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-31 Relating to Certification of New Motor Vehicles

SAAB-SCANIA SB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Saab-Scania SB exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
GSA2.0V5FNB2	121	(2.0)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons		Carbon Monoxide	Nitrogen Oxides	
Grams per Mile		Grams per Mile	<u>Grams per mile</u>	
0.41		7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.36	2.7	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______

day of September, 1985.

K. D. Drachand, Chief Mobile Source Division

SAN athrin-

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page

Manufacturer SAAB-SCANIA AB Executive Order No. A-Z2-31

Engine Family GSAZ.OV5FNBZ Evaporative Family 9000-4

Engine CID (Liters) 2.0 L

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

II, CL, DID, DIP, EFI, MFI

Inventuri Carburetor

.V-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fue T Injection TC-Turbocharged

VEHICLE MODELS:

9005 - 2-DOOR SEDAN (25NL) - M5 & A3 TRANSMISSION 9005 - 3-DOOR HATCHBACK (3CKL) - "

9005 - 4-DOOR SEDAN (45NL) - "

DRIVE SYSTEM: FRONT _ Engine/ FRONT _- Uheel Drive

012584

E.O.	·A -22-31

1986 AIR	RESOURCES	BOARD	SUPPLEMENTAL	ATAC	SHEET

Manu Engi	enger Cars Li facturer SAAB- ne Family _GSAZ	- Scani .,0V5F	A AB FNBZ		Page Engin Code CID (Liter)-	X Gas	
ECS Engine Code	(Special Features) Vehicle Models (If Coded see attachment) (Hp)	Trans.	Equiv. Test Weight	Ign. System Part No.	Type _ Fuel System Part No.	EGR Valve Part No.	Label Ident. Part No
202NA5AC	9005-25NL 9005-3CKL 9005-45NL 9005-3CKL 9005-45NL	M5 M5 . A3 A3	3125 3125 3125 3125 3250	7503592 RETARD KNOCK CONTROL MODULE	ELECTRONIC FUEL INSECTION SYSTEM ELECTRONIC CONTROL UNIT	NOT APPLICABLE	75 32 34

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

^{*}Add 10% to dyno test HP for air conditioning usage.

