(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-33 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1936 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement <u>Cubic Inches (Liters)</u>		Exhaust Emission Control Systems (Special Features)	
GHN1.3VOFHC4	112	(1.3)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile

0.19

0.5

HONDA MOTOR CO., LTD.

EXECUTIVE ORDER A-23-33 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1973 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1931 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 17^{ct} day of June, 1935.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer	HONDA	Executive Order No.	A-23-33
Engine Family	GHN1.8VOFHC4	Evaporative Family	86FC
		Engine CID (Liters)	112(1.8)

ABBREVIATIONS

Ignition System

Exhaust Emissions Control System

CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor VV-Variable Venturi AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Prelude DX

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

012584

E.O. 1A - 23 - 33 1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET ____Light-Outy Trucks ____Medium-Outy Vehicles Passenger Cars X Gas Diesel Manufacturer HONDA Page Engine GH1 , GH1/1 GH3/1 GHN1.8VOFHC4 Engine Family Cede GH3 CID (Liter)-ECS (Special Features) _____AIV, CL, EGR, TWC Type 112(1.8), I-4 Vehicle Models Trans. Equiv. Engine Ign. System Fuel System EGR Valve Label Code (If Coded see Test Ident. attachment) Weight (Hp)* Part No. Part No. Part No. Part No. M5 Prelude DX 2625 Hitachi dis-Keihin 18710-PC7 VECI See GH1 VF05C tributor -6620 07.01.00-D4R83-14 Vac. Hose GH1/1Toyo Denso 17277-PC7 Distributor -663 TD-13KPrelude DX **A**4 2625 Hitachi dis-Keihin GH3 tributor VF05D D4R83-15 GH3/1 Toyo Denso Distributor TD-14K

Commants: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyna test HP for air conditioning usage. * : Please refer to page 08-1 in 1986 Application.

Date of Issue -