(Page 1 of 2)

State of California AIR RESOURCES BOARD

1

EXECUTIVE ORDER A-23-36 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasolinepowered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
GHN1.5V5FMC9	91	(1.5)	Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
<u>Grams per Mile</u>	<u>Grams per Mile</u>	<u>Grams per mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
<u>Grams per Mile</u>	<u>Grams per Mile</u>	Grams per Mile
0.10	0.6	0.2

0.18

2.6

0.2

HONDA MOTOR CO., LTD.

EXECUTIVE ORDER A-23-36 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $31^{5/2}$ day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Pade 1 Executive Order No. A - 23 - 36 Manufacturer HONDA Esgine Family _ GHN1.5V5FMC9 Evaporative Family 86FD Engine CID (Liters) 91 (1.5) ABEREVIATIONS Exhaust Emissions Control System Ignition System Special Features CA-Centrifugal Advance -AIP-Air Injection-Pump CCY-Combustion EEC-Electronic Engine Control AIV-Air Injection-Valve Chamber Valve EI-Electronic Ignition CL-Closed Loop CFI-Central Fuel ESAC-Electronic Spark Advance EGR-Exhaust Gas Recirculation Injection Control EM-Engine Modification DID-Diese] VA-Vacuum Advance OC-Oxidation Catalyst System Injection-VR-Vacuum Retard TOC-Trap Oxidizer Continual Direct TOP-Trap Oxidizer Periodical DIP-Diesel TR-Thermal Reactor Injection-TNC-Three-Way Catalyst System Prechamber Fuel System EFI-Electronic CFI, CL, DID, DIP, EFI, MFI Fuel nV-nVenturi Carburetor Injection /V-Variable Venturi IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Civic CRX Si Civic HB Si

1

IVE SYSTEM: Front Engine/ Front -Wheel Drive

012584

C-2

•							
	1956	AIR RES	OURCES BC	ARD SUFFLEMEN	E.O TAL DATA SHEE	<u> </u>	36
	isenger Cars]		ty Trucks	Medium-;			_ Giesel
	Hon				Pagi Engi	2 	/1
	ine FamilyGEN: (Special Features				CID (Liter)	<u>GM1-05, (</u> 91 (1.5)	
logine Code	Vehicle Hodels (If Coded see attachment)		Equiv. Test Weignt			ESR Yalve	Ident.
	(Ξ=)	<u> </u>	<u> </u>	Part No.	Part No.	Part No.	Part Ho.
	Civic CRX Si	M2	2250	CA, EI, VA Toyo Denso	Densi Giker	N/A	VECI See Page
1	Civic HB Si		2375	Distributor TD-06J	ECU 37820-PE7 -6910		07.01.00 Vac. Hose 17277-PE7 -682
(1/1	Civic CRX Si						-062
11/1	Civic HB Si		2375		•		
11-05	Civic CRX Si		2250	Ī	CL, EFI		
11/1-05		ſ	2375		Densi Giken ECU		
					37820-PE7 -6720		

Land the Alex Archite to

eants: See page one for abbreviations and evaporative emission family identification. se refer to manufacturer's HP list for correct dyno test HP settings based on model and pment. If two test weights are listed, the lower weight will be used for testing.

102 to dyno test HP for air conditioning usage. * : Please refer to page 08-1 in 1986 Application.

af _____ REVISED:06/25/85 10/03/85