State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-37 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
GHN2.0V5FPC4	119	(2.0)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	<u>Grams per Mile</u>
0.20	1.6	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Yehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{2}{\sqrt{y}}$ day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

198 6 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer	HONDA	Executive Order No. /	7-23-37	
Engine Family _	GHN2.OV5FPC4	Evaporative Family	86FG	
		Engine CID (Liters)	119(2.0)	

ABBREYIATIONS

Idnition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
Cri, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
2V-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop ESR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCY-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diese! Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

Accord HB LXi Accord Sedan LXi

ĹΥΕ	SYSTEM:	Front	Engine/	Front	-Whee I	Drive

Manu	senger Carsl	HONDA			Page		2/1
ECS Engine Code	Vahicle Models (If Coded see attachment) (Ep) *		Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	119(2.0),1 EGR Valve Part No.	Label Ident.
GP1/1	Accord HB LXi Accord Sedan LXi		2875	EI,CA & VA TD-01N	CL & EFI 37820-PJ0 -6820	18710-PJ0 -6610	VECI See Page 07.01.00
GP2/1	Accord HB LXi Accord Sedan LXi	. M 5			CL & EFI 37820-PJO -6830		Vac. Hose 17277-PJ0 -680
GP3/1	Accord HB LXi Accord Sedan LXi	A 4			CL & EFI .37820-PJ0 -6820		
GP4/1	Accord HB LX1 Accord Sedan LX1	PA			CL & EFI 37820-PJ0 -6830		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 102 to dyno test HP for air conditioning usage.

* Please refer to page 08-1 in 1986 Application.

Date of Issue -

X Passenger Cars Manufacturer Engine Family		Light-Duty Trucks HONDA GHN2.0V5FPC4		Medium-[RD SUPPLEMENTAL DATA SHEET Medium-Duty Vehicles Page Engin Code CID (Liter)-		
Engine Code	Vehicle Models (If Coded see attachment) (Hp)				Type	119 (2.0),	
GP2/1-02	Accord HB LXi Accord Sedan LXi	M5			CL & EFI		VECI See page
GP4/1-02	Accord HB LX1 Accord Sedan LX1	A4	2875	EI, CA & VA TD-O1N	37820-PJ0 -6840	-6610	07.01.00 Vac. Hos 17277-PJ -680

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 102 to dyno test HP for air conditioning usage.

* Please refer to page 08-1 in 1986 Application.

Date of Issue - 11/01/85

Date of Revision 1 01/03/86 (FF#2)

	1956	AIR RESÖ	URCES BO	ARD SUPPLEMEN	E.O. TAL DATA SHEET	1A-23-3	57
Man	senger Cars L ufacturer ine Family	ight-Dut HONDA	y Trucks		Outy Vehicles Page Engir Code	X Gas	9 .
£52	(Special Features	CL, EG	R. TWC.	(EFI)	CID (Liter)- Type	119 (2.0), 1	<u>-4</u>
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiy. Test Weignt	Ign. System Part No.	Fuel System		Label Ident.
GP2/1-19	Accord HB LXi Accord Sedan LXi	М5			Part No.	Part No.	VECI See page
G ^p ' ∕11 - 19	Accord HB LXi Accord Sedan LXi	A4	2875	EI, CA & VA TD-01N	37820-PJ0 -6850	18710-PJO -6610	07.01.00 Vac. Hose 17277-PJ0 -680

Comments: See page one for abbreviations and evaporative emission family identification. Please rafer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 102 to dyno test HP for air conditioning usage.

* Please refer to page 08-1 in 1986 Application.

Issue - 05/15/86 (RC# 18, 19)