State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-38 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
GHN2.0V5FSC5	119	(2.0)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	<u>Grams per Mile</u>	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>
0.25	2.3	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer	HONDA	? :	_ Executive Order No	A-23-38
Engine Family	GHN2.0V5FSC5	•	Evaporative Family	86FG
			Engine CID (Liters) _	119(2.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI

nV-nVenturi Carburetor

JV-Variable Venturi

VEHICLE MODELS:

Prelude Si

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TMC-Three-Way Catalyst System

Special Features

CCY-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

YE SYSTEM: Front Engine/ Front -Wheel Drive

Manu	facturer		_ .		buty Vehicles Page	2	,
Engi	ne Family	GHN2.OV	5FSC5		Engin Code	gs1/1,Gs3	/1
ECS	(Special Features)	CL, EG	R,TWC, (E	FI)	CID (Liter)- Type	119(2.0),1-	4
Engine Code	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System	Fuel System	EGR Yalve	Label Ident.
	(Hp) *			Part No.	Part No.	Part No.	Part No
GS1/1	Prelude Si	M5	2750	EI,CA & VA TD-01N	CL & EFI 37820-PJ0 -6830	18710-PJ0 -6610	VECI See Page 07.01.00
GS3/1		A 4				· ·	Vac. Hose 17277-PJ6 -681
						-	
1	1						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

*; Please refer to page 08-1 1986 Application.

Nate of Issue -

E.O. 14-23-38

		•				
1986	AIR	RESCURCES	BCARD	SUPPLEMENTAL	DATA	SHEET

menu Engi	enger Cars L' facturer ne Family (Special Features)	HONDA GHN2.OV	5FSC5		Page Engin	2-1	
Engine Code	Vehicle Models (If Coded see attachment) (Ep) *	Trans.	Equiv. Test Weignt	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Label Ident. Part Ho
GS1/1-02	Prelude Si	M5	2750	EI,CA & VA TD-Oln	CL & EFI 37820-PJ0 -6840	18710-PJ0 -6610	VECI See Page 07.01.00
GS3/1-02		∆ 4					Vac. Hose 17277-PJ6 -681
					•,		
			:				

lomments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

** Please refer to page 08-1 1986 Application.

(to of Revision: 01/03/86 (FF #2)

e of Issue - 11/01/85

	1986	AIR RESO	URČES BC.	ARD SUPPLEMENT	E.Ö. TAL DATA SHEET	14-23-3	8
X Pa	ssanger Cars	Light-But	y Trucks	Medium-i	Duty Vehicles	X Gas	Diesel
Has	nufacturer	HONDA			Page	2-2	-
Ξng	gine Family	GHN2.0V	75FSC5		Engi:	GS1/1-1 GS3/1-1	8
	S (Special Features			FI)	CID (Liter)- Type	119(2.0),1-	-4
Engine Code	Vehicle Models (If Coded see		Equiy. Test Weight	Ign. System	Fuel System	EER Valve	Label Ident.
	(Ep) *		NE IGHE	Part No.	Part No.	Part No.	Part Ho
GS1/1-18	Prelude Si	<u>M</u> 5	2750	EI,CA & VA TD-O1N	CL & EFI 37820-PJO -6850	18710-PJ0 -6610	VECI See Page 07.01.00
GS3/1-18		≜ 4		:			Vac. Hose 17277-PJ6 -681
U	·						
			:			•	

Isometria: See page one for abbreviations and evaporative emission family identification. Please rafer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

"Add 10% to dyno test HP for air conditioning usage.

*: Please refer to mage 08-1 1986 Application.

^{2 /} Issue - 05/15/86 (RC#18,19)