State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-43 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
GHN2.5V5FZC5	152	(2.5)	Exhaust Gas Recirculation Air Injection - Valve Three-Way Catalyst with Closed Loop (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
n 22	1.5	0.3	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of February, 1986.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer	HONDA	Executive Order No. A	-23-43
Engine Family	GHN2.5V5FZC5	Evaporative Family	86FH
		Engine CID (Liters)	152 (2.5)

ABBREVIATIONS

Idnition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
YA-Vacuum Advance
VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI

PNV-nVenturi Carburetor

VV-Variable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIY-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Soccial Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue1 Injection IC - Intercooler MFI-Mechanical Fue? Injection TC-Turbocharged

VEHICLE MODELS:

Legend 4 Dr Sedan

DRIVE SYSTEM: Front Engine/ Front -Wheel Drive

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

•	ne FamilyG (Special Features)			TWC (EFI)	CID (Liter)-	GZ1/1, GZ3,	
Engine Code	Vehicle Models (If Coded see attachment) (Hp)*	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve	Label Ident. Part No
GZ1/1	Legend 4 Dr Sedan	M5	3375	CA, EI & VA Toyo Denso Distributor TD-03R	CL & EFI Matsushita Tsushin ECU 37820-PH7 -6830	18710-PH7 -6610	V.E.C.I. See Page 07.01.00 Vac. Hos 17277-PH -660
GZ3/1		A 4		CA, EI & VA Toyo Denso Distributor TD-04R	CL & EFI Matsushita Tsushin ECU 37820-PH7 -6930		
					·		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.
* : Please refer to page 08-1.1 in 1986 Application.

te of Issue - 11/07/85

E.O. 14 - 23 - 43198 6 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET X Fassenger Cars Light-Duty Trucks Medium-Duty Vehicles X 625 Diesal HONDA Manufacturer ____ Page 2-1 Engina G21/1-07 Engine Family GHN2.5V5FZC5 Cade GZ3/1-16 CID (Liter)-EGS (Special Features) AIV, CL. EGR, TWC (EFI) 152 (2.5), ∇-6 Type Equiy. Vehicle Models Trans. Ign. System Engine Fuel System EGR Valve Labei (If Coded see Test Code Ident. Weight a ttachmen C) Part No. Part No. Part No. Part No. (Es) ~ CA, EI & VA CL & EFI M5 3375 Matsushita Toyo Denso V.E.C.I. Distributor Tsushin GZ1/1-07 See Page ECU TD-03R 07.01.00-1 37820-PH7 Legend 4 Dr -6850 Sedan 18710-PH7 Vac. Hose -6610 17277-PH7 -660 CA, EI & VA CL & EFI **A**4 Toyo Denso Matsushita Distributor Tsushin' GZ3/1-15 ECU TD-04R 37820-PH7 ~6950

Comments: See page one for abbreviations and evaporative emission family identification. Please rafer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

L St Issue - 03/25/86 REVISED: 04/01/86 05/12/86 07/10/86 (RC= 15)