(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-78-20 Relating to Certification of New Motor Vehicles

OFFICINE ALFIERI MASERATI, S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Officine Alfieri Maserati, S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
GMA2,5V2GXX8	152	(2.5)	Air Injection - Pump Three-Way Catalyst and Oxidation Catalyst (Turbocharger)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
<u>Grams per Mile</u>	Grams per Mile	Grams per Mile	
0.15	2.5	0.4	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer. Officine Alfieri Maserati, S.p.A.

EXECUTIVE ORDER A-78-20 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 <u>et seq.</u>) and Health and Safety Code Section 43204, provided, however, that jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supercedes Executive Order A-78-19 previously issued for engine family GMA2.5V2GXX8.

Executed at El Monte, California this S^{t} day of January, 1986.

K. D. Drachand, Chief Mobile Source Division

1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer	Officine Alfieri Maserati S.p.A.	Executive Order No.	A-78-20
Engine Family	GMA2.5V2GXX8	Evaporative Family	EMA2.5V2GXX6
		Engine CID (Liters)	152 (2.5)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

,

Fuel System CFI, CL, DID, DIP, EFI, HFI nV-nVenturi Carburetor Veriable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continual TOP-Trap Oxidizer Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve **CFI-Central Fuel** Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged

VEHICLE MODELS:

ENGINE CODE

86A 86A 86A

CAR LINE

Biturbo Coupe Biturbo Spyder Biturbo 425

TRANSMISSION

Automatic Automatic Automatic

DRIVE SYSTEM: FRONT Engine/ REAR -Wheel Drive

012584

	1986 A	VIR RESOL	JRCES BOA	RD SUPPLEMENT	E.O. AL DATA SHEET	#A <u>-78-20</u>	
🔬 X Pass	enger Cars Li					_χ Gas	Diesel
	facturer <u>Officine</u>				Page	2	
Engine Family GMA2.5V2GXX8 Code					Engin Code		
ECS (Special Features) AIP-TWC-OC-(TC) CID (Liter)- Type 152 (2.5)V6							
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System	Fuel System	EGR Valve	Label Ident.
Code	attachment) (Hp)		Weight	EI Part No.	1-V2 Part No.	Part No.	Part No
86A	BITURBO COUPE (10.4)	A-3 (no lock up)	3000	Marelli AE1301A	Weber 34DAT28/350	N/A	ТВА
86A	BITURBO SPYDER (10.4)	A~3 (no lock up)	3250	Marelli AE1301A	Weber 34DAT28/350	N/A	тва
86A	BITURBO 425 (10.9)	A-3 (no lock up)	3250	Marelli AE1301A	Weber 34DAT28/350	N/A	TBA

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Det of Issue -