## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-86-67 Relating to Certification of New Motor Vehicles

## MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1986 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
GMT2.6V5FBT5	155.9	(2.6)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Combustion Chamber Valve) (Central Fuel Injection) (Turbocharger)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	<u>Grams per Mile</u>	
0.13	2.6	0.5	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code. Section 2035 et seq.)

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_\_\_\_\_\_\_ day of July, 1985.

K. D. Drachand, Chief Mobile Source Division

## 1986 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufac	turer <u>Mitsubish</u>	ni Motor	s Corp	<u> </u>				
Engine	Engine Family GMT2.6V5FBT5			Evapo	Evaporative Family		IC	
Passeng	er Cars <u>X</u> Light-D	outy Tru	icks _	Medium-Duty	Vehicles	Gas X I	Diesel	
Engine	CID (liter) - Type	<del></del>	155	.9 (2.6) - L4	<del></del>			
ECS (Sp	ecial Peatures)	AIV+C	L+EGR+	TWC (CCV+CFI+	EFI+TC)			
Drive S	ystem	Fr	ont en	gine / Rear d	lrive			
Add 10	to dyno test HP i	or air	condit	ioning usage	<u>x</u>			
-	Vehicle Models (If Coded sea attachment)	Trans.		CA,EI,VA	Fuel System CFI,CL,EFI Part No.	EGR Valve		
ABM BM	Dodge Conquest Plymouth Conquest Mitsubishi Starion		3250	Distributor T4T63371	46EID-606	K5T53974	VECI MD098857 Vac Hose MD086402	
ABA		A4	3375					

Note: Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

Issued: 5-31-85

Revised:

BA