38.0. E. R.

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-312 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Displacement <u>Engine Family</u> <u>Cubic Inches (Liters)</u>		Exhaust Emission Control Systems (Special Features)	
HFM3.0T5FEC3	181	(3.0)	Three-Way Catalysts (Two) Oxygen Sensor (Heated) (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0-3999	0.39	9.0	1.0
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.22	3.6	0.1
4000-5999	0.17	3.8	0.1

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, for the listed vehicles in the 0-3999 equivalent inertia weight class, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

__day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

Page 1

manuracturer Ford Motor Com		
Evaporative Family 7HM	Engine Type V6	
•	Liters (CID) 3.0 (181)	
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection
1 System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		IC-Intercooler or aftercoole MFI-Mechanical Fuel Injection TC-Turbocharger
VEHICLE MODELS:		
Aerostar 4x2 Van (SWB) Bus (SWB)		
		•.
Engine: Front		
Drive: Rear-Wheel Drive Engine Family H3.0TEC		

E.O. # <u>A-10-312</u>

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

3.0 (181)			Eng. 1	nily HFM3.0T ype V6		
ntrol Sys. (Spec	ial Feat	ures) <u>TV</u>	C, CL, (EFI)			
Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type M5	Equiv. Test Weight	Ign. System (ECU) EEC IV Part No.	Fuel System EFI Part No.	EGR Valve None Part No.	Catalyst TWC Part No.
Bus		3750/ 3875* 3375/ 3500*	E69F-AC	E59E-AB/ E67E-BB		: E69A-AC
			E69F-AD			
1	Vehicle Models (If Coded see attachment) (Dyno Hp) Aerostar 4x2 Bus (11.6/12.8*) Van	Vehicle Models (If Coded see attachment) (Dyno Hp) Aerostar 4x2 Bus (11.6/12.8*) Van	Vehicle Models (If Coded see attachment) (Dyno Hp) Aerostar 4x2 Bus (11.6/12.8*) Van Vehicle Models Trans. Type Mess Test Weight 3750/ 3875* 3375/	Vehicle Models (If Coded see attachment) (Dyno Hp) Aerostar 4x2 Bus (11.6/12.8*) Van (12.0/13.2*) Vehicle Models Trans. Type M5 Test (ECU) EEC IV Part No. E69F-AC 3750/ 3875* 3375/ 3500*	(If Coded see attachment) Type M5 Test Weight (ECU) EEC IV Part No. EFI Part No. (Dyno Hp) Y5X396 E69F-AC E59E-AB/E67E-BB Bus (11.6/12.8*) 3750/3875* 3875* Van (12.0/13.2*) 3500* 3500*	Vehicle Models (If Coded see attachment) (Dyno Hp) Rerostar 4x2 (11.6/12.8*) Van (12.0/13.2*) Vehicle Models Trans. Type M5 Test (ECU) Weight EEC IV Part No. Fuel System (ECU) EEC IV Part No. Fart No. E69F-AC E69F-AC E59E-AB/E67E-BB

Comments: See page one for abbreviations and evaporative emission family identification.

Please refer to manufacturer's HP list for correct dyno test HP settings based on model and ipment. If two test weights are listed, the lower weight will be used for testing.

R/C 3.0-502

Issue Date JUN 10 1986	17-4A
Revised SEP 19	

E.O. # A-10-312 19 87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page 2B Passenger Cars Light-Duty Trucks X Medium-Duty Vehicles ___ Gas X Diesel Ford Motor Company Engine Family HFM3.0T5FEC3 (H3.0TEC) Manufacturer Liter (CID) 3.0 (181) Eng. Type ∨6 Emission Control Sys. (Special Features) __TWC, CL, (EFI) Engine Vehicle Models Trans. Equiv. Ign. System Fuel System EGR Valve Catalyst Code (If Coded see Type Test (ECU) attachment) (L4)Weight EEC IV EFI None TWC Part No. Part No. Part No. Part No. (Dyno Hp) 656J R04A/N Aerostar 4x2 A4X014 E69F-CD E59E-AB/ E69A-AC Bus E67E-BB (11.6/12.8*) 3875 Van 3375/ (12.0/13.2*)3500* 56**5~**0A/N# E69F-CE

* With Air Conditioning

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and inment. If two test weights are listed, the lower weight will be used for testing.

R/C 3.0-502

Engine Family _______

Issue Date JUN 101986	17-4B
Revised SEP 19	