(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-158 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displaces Cubic Inches		Exhaust Emission Control Systems (Special Features)
HCR2.5T5FBH6	152	(2.5)	Three-Way Catalyst Heated Oxygen Sensor Exhaust Gas Recirculation (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Hydrocarbons Weight Grams per Mile		Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile	
0-3999	0.39	9.0	1.0	

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.14	3.8	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment. 147

Executed at El Monte, California this

day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

-				
Ð	3	a	Ω	
r	а	١,	C	

Manufacturer CHRYSLER MODORS CORPORATION	Executive Order No.	A-9-158
Engine Family HCR2.5T5FBH6	Evaporative Family _	HCRTS
	Engine CID (Liters)	152 (2.5)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

Fuel System
CFI, CL, DID, DIP, EFI, MFI
nV-nVenturi Carburetor
VL ariable Venturi

Exhaust Emissions Control System

AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continuous TOI-Trap Oxidizer Intermittent TR-Thermal Reactor TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fue 1 Injection IC - Intercooler MFI-Mechanical Fue 1 Injection TC-Turbocharged

VEHICLE MODELS:

SKE13,SKH53, SKP53,SKS13

SHH53,SHP53

CARLINE

DODGE CARAVAN/RAM VAN

PLYMOUTH VOYAGER

DRIVE SYSTEM: FRONT (E-W) Engine/ FRONT -Wheel Drive

E.O. #A −9−158 1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Pa. 2 Medium-Duty Vehicles X Gas Diesel X Light-Duty Trucks Passenger Cars CHRYSLER MOTORS CORPORATION 2 Page Manufacturer Engine Engine Family HCR2.5T5FBH6 CALIF Code CID (Liter)-152(2.5)-SOHC 4 TWC, CL, EGR, (EFI) Type ECS (Special Features) EGR Valve Fuel System Equiv. Ign. System Label Engine Vehicle Models Trans. Test Ident. (If Coded see Code THROTTLE BODY POWER MODULE Weight attachment) Part No. Part No. Part No. Part No. 5227652 4418118 4287808 VECI 3500 M5 SKE13,SKS13 M-14300515 4287812 SHH53,SKH53, 3750 SHP53,SKP53 VAC. HOSE 4405723 5227654 4287805 A3 3500 A-1 SKE13,SKS13 3750 SKH53,SHH53,

Catalyst Part

No.

04301851

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

3875

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - 06/19/86

SKP53

SHP53

1987 CALIFORNIA 2.5L LIGHT DUTY TRUCK TEST WEIGHT AND HORSEPOWER

<u>Models</u>	Transmission/Test Wt.	<u>H.P.</u>	Tires	Tire Sales <u>Code</u>
SKE13,SKS13	All 3500 lbs.	11.1	LT195/75R15-C	TND
SHH53,SHP53 SKH53 SKP53	All 3875 lbs. All 3750 lbs. A3:3875 lbs. or M5:3750 lbs.	10.4 10.4 10.7 10.8	P195/75R14 P205/70R14 P195/75R15 P205/70R14 Eagle GT	TKN TLB TNC,TNE TLA

All tires are steel belted radial

ISSUE DATE: 03-03-86

REV: