State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-162-1 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Chrysler Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacer Cubic Inches		Exhaust Emission Control Systems (Special Features)		
HCR3.9T2HFR8	239	(3.9)	Air Injection - Pump Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0-3999	0.39	9.0	1.0
4000-5999	0.50	9.0	

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
0-3999	0.32	3.1	0.9
4000-5999	0.35	6.7	0.9

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: . That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

This Executive Order supersedes Executive Order A-9-162, dated October 2, 1985.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of April, 1987.

K. D. Drachand, Chief Mobile Source Division

Han cturer <u>Chrysler Corporation</u> Engine Family <u>HCR3.9T2HFR8</u>	Executive Order No. A-9- Evaporative Family HCRTI Engine CID (Liters) 239	· · · · · · · · · · · · · · · · · · ·
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI -nVenturi Carburetor VI-V iable Venturi	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continuous TOI-Trap Oxidizer Intermittent TR-Thermal Reactor TNC-Three-Nay Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC - Intercooler MFI-Mechanical Fuel Injection TC-Turbocharged
VEHICLE MODELS:	CARLINE	

<u>V</u>

N1L61;N1L62 (N5L61;N5L62)* Dodge Dakota

Front Engine/ Rear -Wheel Drive DRIVE SYSTEM:

Revised: 07/07/86. Running Change 27T. Addition of models. 120783

E.O. #A-9-162

1987 ATR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

130 / MIN RESOURCES DOWN SUIT ENTINE DAIN SHEET								
nass	senger Cars <u>×</u> L	ight-Duty	y Trucks	Medium-D	uty Vehicles	X Gas	Diesel	
Manu	facturer Chrysl	er Corpo	cation	·	Page Page			
Engi	ine Family HCR3.9	T2HFR8		·		M-1;M-2;A-1		
	(Special Features		WC,EGR,CL		CID (Liter)- Type _	239 (3.9) -V/6) 	
gine ode	Vehicle Models (If Coded see attachment)	Trans.	Equiv. Test Weight	Ign. System ESA/EFC	Fuel System 2V	EGR Valve	Label Ident.	
		<u> </u>		Part No.	Part No.	Part No.	Part No.	
M-1	N1L61	М5	3500	04379192	04324640 04324654\$	04287454	VECI 4288907	
M-3	N1L62		3625					
M-2	N1L61		3500	04379198			VAC. HOSE 4306885	
-M-4	N1L62		3625				4306892*	
A-1	N1L61	A3	3500	04379190	04324641	04287452		
-A-3	N1L62		3625					
						,		
A-2 -Λ-4				4379175				
M-7	N1L61	М5	3500	4379241	4324694			
	N1L62		3625		04324653\$			
M-8	N1L61		3500	4379173				
	N1L62		3625					

omments: See page one for abbreviations and evaporative emission family identification. lease refer to manufacturer's HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

09/10/85 ate of Issue -

*Povised - 12/02/85: R.C. 14T dated 11/20/85. New location for power brake vacuum source. evised - 03/13/86: R.C. 22T dated 03/03/86. Revise ESA/EFC calibration and add 3.90:1

axle ratio for automatic transmission models. +Revised - 03/21/86: R.C. 31T dated 03/12/86. Add an air diverter valve and delete the vacuum actuated electrical switch.

71080+Revised - 04/21/86: R.C. #16T dated 04/11/86. Revise carburetor and ESA unit. \$Revised - 07/24/86: R.C. #65T dated 07/21/86. Release optional carburetor.

E.O. IA^{-9-162}

1097	ATD	DECUMPLES	BUTEL	SUPPLEMENTAL	DATA	CHEET
198/	MIK.	KESUUKUES	BUKKU	PUPPLEUTINAL	DWIN	SULEI

•		170 / 1	isi neso			5//// 5//22/		
	•		_		Medium-D	uty Vehicles	xx Gas	Diesel
ranu	facturer	CHRYSLI	ER CORPO	RATION	•		3	
Engi	ne Family	HCR3.97	r2HFR8			Engin Code	e M-1,M-2,A-1	l
			AIP,TWC,EGR,CL			CID (Liter)- Type 239 (3.9)-V/6		
ingine Code	Vehicle M (If Coded attachme	see	Trans.	Equiv. Test Weight	Ign. System ESA/EFC	Fuel System 2V	EGR Valve	Label Ident.
				ļ	Part No.	Part No.	Part No.	Part No.
M-1	N5L61;N5L6	62	M5	4000	4379192	4324640 04324654**	4287454	VECI 4288907
M-2		•			4379198			VAC. HOSE 4306885
A-1			A3		4379190	4324641	4287452	4306892
*A-5	N1L61 '		A3	3500	4379190	4324652	4287452	
	N1L62			3625	·			
	N5L61;N5L	.62		4000			·	
*A-6 *A-8					4379175			
*A-7					4379190	4324651		
	·							

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and quipment. If two test weights are listed, the lower weight will be used for testing.

'Add 10% to dyno test HP for air conditioning usage.

*Revised - 07/24/86: R.C. 27T dated 6-19-86. Addition of models.

*Revised - 07/08/86: R.C. 62T dated 07/02/86. Replace vacuum throttle kicker with solenoid throttle kicker.

*Revised - 07/24/86: R.C. 65T dated 07/21/86. Release optional carburetor.