State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-162
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Chrysler exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Exhaust Emission Control Systems Cubic Inches (Liters) (Special Features)
HCR3.9T2HFR8	239 (3.9) Air Injection - Pump Exhaust Gas Recirculation
	Three-Way Catalyst with Closed Loop

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

by the Executive Officer.

Inertia	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Weight	Grams per Mile	Grams per Mile	Grams per mile		
0-3999	0.50	9.0	1.0		
- 4000 - 5999		9.0	1.0		
T: 0 11					

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile		
0-3999	0.32	3.1	0.9		
4000 - 5999 BE IT FURTHER	RESOLVED: 0.37	6.9 ted models in the 0-3	୍ଦ୍ରମ 1999 equivalent		
inertia weight class were certified to the optional NOx emission standard					
	the vehicle manufacture				
13, California Administrative Code which includes recall liability for					
emission contr	ol components up to 7 ve	ears or 75,000 miles	if found defective		

CHRYSLER CORPORATION

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

day of October, 1985.

K. D. Drachand, Chief Mobile Source Division

		<u>1436 1</u>
Manufacturer Chrysler Corporatio	n Executive Order No.	A-9-162
Engine Family HCR3.9T2HFR8	Evaporative Family _	HCRTI
	Engine CID (Liters)	239 (3.9)
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI "-nVenturi Carburetor Variable Venturi	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System TOC-Trap Oxidizer Continuous TOI-Trap Oxidizer Intermittent TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC - Intercooler
VEHICLE MODELS: N1L61;N1L62	CARLINE Dodge Dakota	MFI-Mechanical Fuel Injection TC-Turbocharged

DRIVE SYSTEM: Front Engine/ Rear -Wheel Drive

E.O. $1A^{-9-162}$

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Pass	enger Cars <u>X</u> L1	ight-Duty	Trucks	Medium-Du	ity Vehicles	X Gas	Diesel
Lanu	facturer Chrysle	er Corpor	ation		Page	2	·
Engi	Engine Family HCR3.9T2HFR8 Code M-1;M-2;A-1						
ECS (Special Features) AIP,TWC,EGR,CL			1	CID (Liter)- Type _	239 (3.9) -V/6		
Engine Code	Vehicle Models (If Coded see	Trans.	Equiv. Test	Ign. System ESA/EFC	Fuel System 2V	EGR Valve	Label Ident.
	attachment)	W	Weight	Part No.	Part No.	Part No.	Part No.
M-1	N1L61	M5	3500	04379192	04324640	04 28 745 4	VECI 4288907
	N1L62		3625				
M-2	N1L61		3500	04379198			VAC. HOSE 4306885
,	N1L62		3625				4306892*
A-1	N1L61	A3	3500	04379190	04324641	04287452	
	N1L62		3625				
		X					
)					
							,

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test HP for air conditioning usage.

late of Issue - 09/10/85

^{*}Revised - 12/02/85: R.C. 14T dated 11/20/85. New location for power brake vacuum source.