State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-98 Relating to Certification of New Motor Vehicles

TOYOTA MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Toyota Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HTY3.0V5FBB1	180.2	(3.0)	Exhaust Gas Recirculation Oxygen Sensor Three-Way Catalyst (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	<u>Grams per Mile</u>	Grams per mile	
0.39	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.22	2.0	0.3		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of August, 1986.

K. D. Drachand, Chief Mobile Source Division 17.10.00 Supplemental data sheets

1987 AIR RE	Sources board supplemental Data St	ibet 8.0. # <u>A-14-9</u> 9
		Page 1
Manufacturer Toyota Motor Corp	oration Engine Family HTY3.	.0V5PBB1
Evaporative FamilyEV-M	E Engine Type6-cyl.	in-line
	Liters (CID) 3.0	(180.2)
ABBREVIATIONS		
Ignition System CA-Centrifugal Advance	Exhaust Emissions Control System AIP-Air Injection-Pump	CCV-Combustion
EEC-Electronic Engine Control EI-Electronic Ignition	AIV-Air Injection-Valve CL-Closed Loop	Chamber Valve CFI-Central Fuel
ESAC-Electronic Spark Advance		Injection
Control	EM-Engine Modification	DID-Diesel
VA-Vacuum Advance VR-Vacuum Retard	OC-Oxidation Catalyst System SPL-Smoke Puff limiter or	Injection Direct
	Throttle Delay	DIP-Diesel
	TOC-Trap Oxidizer Continual	Injection-
	TOP-Trap Oxidizer Periodical TR-Thermal Reactor	Prechamber EFI-Electronic
	TWC-Three Way Catalyst System	Fuel Injection
Fuel System		IC-Intercooler
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		or aftercooler MFI-Mechanical
		Fuel Injection
		TC-Turbocharger
VEHICLE MODELS :		
	Supra Ma70L-BLMVFA	
	-BJMVFA	
	-Blpvpa -Bjpvpa	
	DOFTER	
Engine: Front x Mid.		
Drive: PWD RWD	x 4WD Full time 4WD Pa	ert time

Page : 17-62

Issued: 05/27/86

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger	Cars <u>x</u> Light-D	uty Tru	cks 1	Medium-Duty V	ehicles (Gas <u>x</u> Dies	el
Manufactu	irer <u>Toyota Mo</u>	tor Cor	poration	Engine	Eamily	HTY3.0V5F	BBl
Liter (CI	(D)3.0	(180.2)		Eng. Ty	pe <u>6 cyl.</u>	in-line	
Emission	Control Sys. (Spe	cial Fe	atures) _		CL + EGR + T	C (EFI)	
Engine	Vehicle Models (If Coded see attachment) (Dyno Hp: Refer to 08.13.03.00)	Туре	Equiv. Test Veight	EEC, BI, ESAC Part No. [Computer] [Knock *1	Part No. [Computer] [Air flow meter]		Catalyst Part No.
1	MA70L-BLMVFA -BJMVFA	M5	3,875	89615-30020	[Injector] 89661-14092 22250-42030 23250-70040		18450-42040
2	MA70L-BLPVFA -BJPVFA	A4	3,875 4,000	89615-30020	89661-14101 22250-42030 23250-70040		

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Note *1: 89615-30020: MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.

89615-30030 : NIPPONDENSO CO., LTD.

Page : 17-63

Issued: 05/27/86