State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-2-41 Relating to Certification of New Motor Vehicles

FUJI HEAVY INDUSTRIES LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Fuji Heavy Industries Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)	
หรุป1.8V5HCNO	109	(1.8)	Exhaust Gas Recirculation Three-Way Catalyst Oxidation Catalyst Oxygen Sensor (Electronic Fuel Injection) (Turbocharger)	

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.20	1.8	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{1}{2}$ day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

IM. adven

198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

		rage r
Manufacturer Fuji Heavy Indust	ries Ltd. Engine Family HFJ1.8V	5HCŃO
Evaporative Family MU	Engine Type H04	
	Liters (CIO) 1.8 Lit	ers
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercoole MFI-Mechanical Fuel Injection TC-Turbocharger
VEHICLE MODELS:		

TEITTOLL MODELS.

AX4; XT

AX7; XT 4WD

Engine: Front x Mid. Rear______

Drive: FWD x RWD 4WD Full Time 4WD Part Time x

E.O. # A-2-41 198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page _____Passenger Cars ___ Light-Duty Trucks ____ Medium-Duty Vehicles ____ Gas _x _ Diesel Manufacturer Fuji Heavy Industries Ltd. Engine Family HFJ1.8V5HCNO Liter (CID) 1.8 Liters Eng. Type HO4 Emission Control Sys. (Special Features) <u>CL. EGR. OC. TWC. (EFI. TC)</u> Engine Vehicle Models Trans. Equiv. Ign. System Fuel System EGR Valve Catalyst Code (If Coded see Test! Type (ECU) CA, EI, attachment) Weight VA, ESAC EFI Part No. Part No. Part No. Part No. (Dyno Hp) 1.8V5CNMA AX4 (6.8) M5 2875 Distributor: Injector: Hitachi Fuji's Part (2750)#Hitachi JECS 0970 APDQ54-46 No. D4R84-51 Front: 3000 Fuji's Part Fuji's Part | 20805AA071 AX7 (8.1) (2875)#Fuji's Part No. No. Rear: 20805AA040 16600AA000 14710AA101 No. 22100AA221 NAA AX4 (6.8) **A3** 2875 Electronic Hitachi Control Unit: APDQ54-32 Electronic AX7 (8.1) 3000 Control Unit: Fuji's Part Fuji's Part Fuji's Part No. 22611AA073 No. No. 22070AA011 14710AA032

Comments: See page one for abbreviations and evaporative emission family identification.

P(refer to manufacturer's HP list for correct dyno test HP settings based on model and equiment. If two test weights are listed, the lower weight will be used for testing.

#The model is tested at higher ETW in accordance with 40 CFR 86.084-26(a)(2).

Date of Issue June 20, 1986 Revisions: