## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-3-73 Relating to Certification of New Motor Vehicles

## DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for diesel-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)	
HMB3.0D9KA18	183	(3.0)	Exhaust Gas Recirculation Trap Oxidizer-Continual (Diesel Injection - Prechamber) (Turbocharger)	

Vehicle models, transmissions and engine codes are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates
Grams per Mile	Grams per Mile	Grams per Mile	Grams per Mile
0.46	8.3	1.0	0.2

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates
Grams per Mile	Grams per Mile	Grams per Mile	Grams per Mile
0.08	0.9	0.9	0.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

/3" day of June, 1986.

K. D. Drachand, Chief Mobile Source Division

## 1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

<u> </u>		rage I
Manufacturer Daimler Benz AG	Engine Family <u>HMB3.OD9KA</u>	18
Evaporative FamilyDNA	Engine Type Diesel L-6	
	Liters (CIO) 3.0 (183)	<del></del>
ABBREVIATIONS	•	
Ignition System	Exhaust Emissions Control System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIP-Air'Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel
Fuel System		Injection IC-Intercooler
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		or aftercoole MFI-Mechanical Fuel Injection TC-Turbocharger
VEHICLE MODELS: 300D-TURBO 300TD-TURBO 300SDL-TURBO		

ne:	Front <u>X</u>	Mid.	Rear	
Drive:	FWD	RWD X	4WD Full Time	4WD Part Time

E.O. # A-3-73 19 87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page Passenger Cars x Light-Duty Trucks Medium-Duty Vehicles Gas Diesel x Manufacturer Daimler Benz AG Engine Family HMB3.0D9KA18 Liter (CID) 3.0 (183) Eng. Type L-6 Emission Control Sys. (Special Features) EGR, TOC (DIP, TC) Vehicle Models Trans. Ign. System Fuel System Engine Equiv. EGR Valve Catalyst Code (If Coded see Test ' Type (ECU) attachment) Weight Part No. Part No. Part No. Part No. (Dyno Hp) 3 750 DNA 0M603A 309D-TURBO (7.5) A-4All Models: All Models: DNA FI-Pump: 0M603A 300TD-TURBO(6.7) A-4 4 000 DNA PES6M55C320 6171400260 DNA RS157 alt. 4 250 Governor: OM603A 300SDL-TURBO A-4 DNA 6011400160 DNA (10.6)RSF315/2300 M64

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and e present. If two test weights are listed, the lower weight will be used for testing.

n	-6	Tanua	Davidadana
vale	Οī	Issue	Revisions: