State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-76 Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacer Cubic Inches		Exhaust Emission Control Systems (Special Features)
HMB2.3V6FA22	140	(2.3)	Dual Warm-Up Three-Way Catalysts Three-Way Catalyst Heated Oxygen Sensor (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.31	2.1	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26 day of September, 1986.

K. D. Drachand, Chief Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Daimler-Benz	AG Engine Family	HMB2.3V6FA2	
Evaporative Family HMBV6-1	Engine Type	L-4	
	Liters (CID) _	2.3 (140)	
ABBREVIATIONS			
Ignition System	Exhaust Emissions Control	System	Special Features
CA-Centrifugal Advance FEC-Electronic Engine Control II-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculat EM-Engine Modification OC-Oxidation Catalyst Syst SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continu TOP-Trap Oxidizer, Periodi TR-Thermal Reactor TWC-Three-Way Catalyst Sys HOS-Heated Oxygen Sensor	ion em al cal	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger

₽EHICLE MODELS: 190E2.3-16

ne:	Frontx_	Mid	Rear	•
Jrive:	FWD	RWD x	4WD Full Time	4WD Part Time

E.O. # A-3-76 1987... AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Passenger Cars X Light-Duty Trucks Medium-Duty Vehicles Gas X Diesel Manufacturer Daimler-Benz AG Engine Family HMB2.3V6FA22 Liter (CID) 2.3 (140) Eng. Type L-4 Emission Control Sys. (Special Features) - CL.TWC (MFI) Dual Warm-Up Twc, Twc, Hos Engine Vehicle Models Trans. Equiv. Ign. System Fuel System EGR Valve Catalyst (ECU) (If Coded see Type Test Code attachment) Weight Part No. Part No. Part No. Part No. (Dyno Hp) Fuel Distr.: M102S-1 190E2.3-16 A4, M5 3375 004 545 57 32 Underhood (7.5)004 545 59 32*0 438 101 028 DNA right : 201 4900614 Underhood * different Air Sensor: left manufacturer 201 490 07 14 0 438 121 044 Underfloor: 201 490 N8 14 omments: See page one for abbreviations and evaporative emission family identification. ease refer to manufacturer's HP list for correct dyno test HP settings based on model and

ment. If two test weights are listed, the lower weight will be used for testing.

ate of Issue _____ Revisions: