

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-81  
Relating to Certification of New Motor Vehicles

DAIMLER-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Daimler-Benz AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HMB5.6V6FA20	338 (5.6)	Air Injection - Pump Exhaust Gas Recirculation Warm-Up Three-Way Catalyst Three-Way Catalyst Heated Oxygen Sensor (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.13	1.1	0.1

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 26<sup>th</sup> day of September, 1986.

  
K. D. Drachand, Chief  
Mobile Source Division

Manufacturer Daimler-Benz AG Engine Family HMB5.6V6FA20  
 Evaporative Family HMBV6-1 Engine Type V-8  
 Liters (CID) 5.6 (338)

**ABBREVIATIONS**

Ignition System

- CA-Centrifugal Advance
- EEC-Electronic Engine Control
- EI-Electronic Ignition
- ESAC-Electronic Spark Advance Control
- VA-Vacuum Advance
- VR-Vacuum Retard

Exhaust Emissions Control System

- AIP-Air Injection-Pump
- AIV-Air Injection-Valve
- CL-Closed Loop
- EGR-Exhaust Gas Recirculation
- EM-Engine Modification
- OC-Oxidation Catalyst System
- SPL-Smoke Puff Limiter or Throttle Delay
- TOC-Trap Oxidizer, Continual
- TOP-Trap Oxidizer, Periodical
- TR-Thermal Reactor
- TWC-Three-Way Catalyst System
- HOS-Heated Oxygen Sensor

Special Features

- CCV-Combustion Chamber Valve
- CFI-Central Fuel Injection
- DID-Diesel Injection-Direct
- DIP-Diesel Injection-Prechamber
- EFI-Electronic Fuel Injection
- IC-Intercooler or aftercooler
- MFI-Mechanical Fuel Injection
- TC-Turbocharger

Fuel System

- CFI, CL, DID, DIP, EFI, MFI
- nV-nVenturi Carburetor

VEHICLE MODELS: 560SL

Drive: Front   x   Mid.        Rear         
 Drive: FWD        RWD   x   4WD Full Time        4WD Part Time

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-3-81

Page \_\_\_\_\_

Passenger Cars  Light-Duty Trucks \_\_\_\_\_ Medium-Duty Vehicles \_\_\_\_\_ Gas  Diesel \_\_\_\_\_

Manufacturer Daimler-Benz AG Engine Family HMB5.6V6FA20

Liter (CID) 5.6 (338) Eng. Type V-8

Emission Control Sys. (Special Features) AIP, CL, EGR, TWC (MFI), WARM-UP TWC, HOS

Engine Code	Vehicle Models (If Coded see attachment)  (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)  Part No.	Fuel System  Part No.	EGR Valve  Part No.	Catalyst  Part No.
M117-2	560SL (8.3)	A4	4000	004 545 53 32* 004 545 55 32*  * different manufacturer	Fuel Distr.: 0 438 101 018  Air Sensor: 0 438 121 037	0001408360	Underfloor(1) 107 490 14 14 Underfloor(2) 107 490 18 14

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and comment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue \_\_\_\_\_

Revisions:



US

MY1987

Engine Family  
HMB3.0D9KA18

Section  
10.00

Page

29

Daimler-Benz

1987MY

HP

	300 D	300 TD	300 SDL	
10.10.13.00	Inertia weight class	3500	4000	4000
10.10.14.00	Equivalent test weight	3750	4000	4250
10.10.15.00	Gross vehicle weight		< 6000	
10.10.16.00	Frontal area	21.8 ft <sup>2</sup>	22.5ft <sup>2</sup>	23.0ft <sup>2</sup>
10.10.17.00	Axle ratio			
10.10.17.01	Standard	2.65	2.65	2.88
10.10.17.02	Max. optional ratio		n/a	
10.10.17.03	Min. optional ratio		n/a	
10.10.18.00	Tires			
10.10.18.01	Standard size and type	195/65R15		205/65R15
10.10.18.02	Max. size and type		n/a	
10.10.18.03	Min. size and type		n/a	
10.10.19.00	N / V ratio			
10.10.19.01	Standard	40.2	40.5	42.6
10.10.19.02	Maximum		n/a	
10.10.19.03	Minimum		n/a	
10.10.20.00	Basic drivetrain layout	front engine-transmission -rear axle		
10.10.21.00	Dyno power absorber setting	7.5	6.7	10.6
10.10.22.00	Frontal area horsepower	11.3	12.0	12.2
10.10.23.00	A / C factor added (yes or no)		yes	
10.10.24.00	Manually-performed high altit. adjustments and/or modifc.		n/a	

Section No.	Title	Issue Date
10.10.00.00	Vehicle Description	04-10-86
Revision No.		
Revision Date		