

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-363
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
H1G2.OV5XAG3	121 (2.0)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.20	1.7	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2nd day of July, 1986.


K. D. Drachand, Chief
Mobile Source Division

17-H1G2.OV5XAG3-1A

(For CARB Use Only)

(1987)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: General Motors Corporation

Executive Order No.: A-6-363

Form 1

Engine Family: H1G2.OV5XAG3

Evaporative Family: 7B0-1G

Engine CID (Liters) - Type: 121 (2.0)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance Control
VA-Vacuum Advance
VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
-Engine Modification
OC-Oxidation Catalyst System
TR-Thermal Reactor
TWC-Three Way Catalyst System

Headings

AIR COND-Air Conditioning
BB-Basic Body
BT-Body Type
DI-Diesel Injection
DIN-Diesel Injector Nozzles
DIV-Division
ECM-Electronic Control Module
ETW-Equivalent Test Weight
TLC-Tune-Up Label Code
TNS-Transmission
TM-Trim

Fuel System

CFI,CL,DID,DIP,EFI,MFI
nV-nVenturi Carburetor
VV-Variable Venturi

Special Features

CCV-Combustion Chamber Valve
CFI-Central Fuel Injection
DID-Diesel Injection-Direct
DIP-Diesel Injection-Prechamber
EFI-Electronic Fuel Injection
IC-Intercooler/Aftercooler
MFI-Mechanical Fuel Injection
TC-Turbocharger

<u>DIV</u>	<u>BB</u>	<u>TM</u>	<u>BT</u>	<u>MODEL NAME</u>	<u>DIV</u>	<u>BB</u>	<u>TM</u>	<u>BT</u>	<u>MODEL NAME</u>
1				CHEVROLET	3				OLDSMOBILE
	J	C	27	Cavalier Notchback Coupe		J	C	27	Firenza Coupe
			35	Cavalier Station Wagon				35	Firenza Cruiser
			69	Cavalier Notchback Sedan				69	Firenza Sedan
		D	35	Cavalier CS Station Wagon				77	Firenza S Hatchback
			69	Cavalier CS Notchback Sedan			D	27	Firenza LC Coupe
			77	Cavalier CS Hatchback Coupe				69	Firenza LX Sedan
		E	27	Cavalier RS Notchback Coupe				77	Firenza GT Hatchback
			35	Cavalier RS Station Wagon					
			67	Cavalier RS Convertible Coupe					
			69	Cavalier RS Notchback Sedan					
			77	Cavalier RS Hatchback Coupe					
	L	T	69	Corsica Sedan					
		V	37	Beretta Specialty Coupe					

ENGINE/DRIVE AXLE LOCATION: Front Engine/Front Drive

ISSUED: 05-05-86

REV. NO.:

CLS

17-H1G2.OV5XAG3-2A

(For CARB Use Only)

(1987)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: General Motors Corporation Executive Order No.: A-6-363 Form 1A

Engine Family: H1G2.OV5XAG3

Evaporative Family: 7B0-1G

Engine CID (Liters) - Type: 121 (2.0)

<u>DIV</u>	<u>BB</u>	<u>TM</u>	<u>BT</u>	<u>MODEL NAME</u>	<u>DIV</u>	<u>BB</u>	<u>TM</u>	<u>BT</u>	<u>MODEL NAME</u>
2				PONTIAC					
	J	B	35	Sunbird Wagon					
			69	Sunbird Sedan					
		D	27	Sunbird SE Coupe					
			77	Sunbird SE Hatchback Coupe					
4				BUICK					
	J	S	27	Skyhawk Custom Coupe					
			35	Skyhawk Custom Wagon					
			69	Skyhawk Custom Sedan					
			77	Skyhawk Sport Hatchback					
		T	27	Skyhawk Limited Coupe					
			35	Skyhawk Limited Wagon					
			69	Skyhawk Limited Sedan					
6				CADILLAC					
	J	G	69	Cimarron Sedan					

ENGINE/DRIVE AXLE LOCATION: Front Engine/Front Drive

ISSUED: 05-05-86

REV. NO.:

0038S

17-H1G2.OV5XAG3-3A

(For CARB Use Only)

(1987)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer: General Motors Corporation Executive Order No.: A-6-363 Form 2

Engine Family: H1G2.OV5XAG3 Exhaust Emission Control System: EGR, TWC, CL (CFI)

Liter (CID): 121 (2.0) Engine Type: L4

ENG CID	ENG CODE	AIR COND	ECM PART NO.	TBI ASM PART NO.	EGR VALVE PART NO.	ETW	DIV	B B	T M	BT	TNS	REV. NOTES	
121	<u>1.1A</u> 1B	W	<u>16049021</u>	17087401	17087145	2625	1	J	C	27	M-4	2 3	
			<u>16071371</u>										
							2750	1	J	E	27		
										J		27	
									1	J		35	
									1234	J		69	
									12 4	J		77	
									3	J	C	77	
							2875	234	J		35		
								1	J		67		
								3	J	D	77		
							2625	12	J		27		2
	<u>2.2A</u> 2B	W/O		<u>16049021</u>					3	J	C	27	3
	<u>16071371</u>												
								4	J	S	27		
								12	J		69		
						2750	3	J	D	27			
								4	J	T	27		
							123	J		35			
								4	J	S	35		
								3	J		69		
								4	J	ST	69		
							1234	J		77			
						2875	4	J	T	35			
							1	J		67			

Comments: See page one for abbreviations and evaporative emission family identification
Please refer to manufacturer's HP lists for correct dyno test HP settings
based on model and equipment.

ISSUED: 05-05-86

REV. NO.: 002 - Engine codes 1A and 2A added.
003 - Engine codes 1B and 2B added.

0038S/10S

17-H1G2.OV5XAG3-4A

(For CARB Use Only)

(1987)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer: General Motors Corporation Executive Order No.: A-6-363 Form 2

Engine Family: H1G2.OV5XAG3 Exhaust Emission Control System: EGR, TWC, CL (CFI)

Liter (CID): 121 (2.0) Engine Type: L4

ENG CID	ENG CODE	AIR COND	ECM PART NO.	TBI ASM PART NO.	EGR VALVE PART NO.	ETW	DIV	B B	T M	BT	TNS	REV. NOTES
121	<u>3.3A</u> 3B	W	<u>16049061</u> <u>16071381</u>	17087401	17087145	2625	1	J	C	27	M-5	2
						2750	1	J	E	27		3
							1	J	CD	35		
							1	J		69		
		1	J		77							
		2875	1	J	E	35						
		1	J		67							
			6	J		69						
		<u>3.3A</u> 3B		<u>16064271</u> <u>16071401</u>			3000	1	L	37		5
		3C		<u>16075541</u>				1	L	69		3
												4
	121	<u>4.4A</u> 4B	W/O	<u>16049061</u> <u>16071381</u>	17087401	17087145	2625	1	J		27	
							1	J	CD	69		3
2750							1	J		35		
							1	J	E	69		
		1	J		77							
		2875	1	J		67						
												3
		<u>4.4A</u> 4B		<u>16064271</u> <u>16071401</u>			3000	1	L	37		3,5
		4C		<u>16075541</u>				1	L	69		4,5

Comments: See page one for abbreviations and evaporative emission family identification
Please refer to manufacturer's HP lists for correct dyno test HP settings
based on model and equipment.

ISSUED: 05-05-86

REV. NO.: 002 - Engine codes 3A and 4A added.
003 - Engine codes 3B and 4B added. 004 - Engine
codes 3C and 4C added. 005 - Revised by RC 71-129.

0038S/10S

17-H1G2.0V5XAG3-5A

(For CARB Use Only)

(1987)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

Manufacturer: General Motors Corporation Executive Order No.: A-6-363 Form 2

Engine Family: H1G2.0V5XAG3 Exhaust Emission Control System: EGR, TWC, CL (CFI)

Liter (CID): 121 (2.0)

Engine Type: L4

ENG CID	ENG CODE	AIR COND	ECM PART NO.	TBI ASM PART NO.	EGR VALVE PART NO.	ETW	DIV	B B	T M	BT	TNS	REV. NOTES	
121	<u>11,11A</u>	W	<u>16048981</u>	17087400	17087145	2750	1 34	J		27	A-3	2	
	11B		<u>16071361</u>					J CD	69	3,5			
								J D	77				
						2875	1 34	J		35			
							1	J	E	69		5	
								34	J	69			
							1	J	E	77			
								34	J	77			
							3000	1	J	67			
								6	J	69			
		<u>12,12A</u>	W/O	<u>16048981</u>			2625	1	J	C	27		2
		12B		<u>16071361</u>									3
							2750	1	J	E	27		
								34	J	27			
								1	J	35			
								1 34	J	69			
								1 34	J	77			
							2875	34	J	35			
								1	J	67			
	<u>13,13A</u>	W		<u>16064251</u>			3000	1	L	69			2,5
	13B			<u>16071391</u>				1	L	37			3
	<u>14,14A</u>	W/O		<u>16064251</u>			3000	1	L	37			2,5
	14B		<u>16071391</u>				1	L	69			3	

Comments: See page one for abbreviations and evaporative emission family identification
Please refer to manufacturer's HP lists for correct dyno test HP settings
based on model and equipment.

ISSUED: 05-05-86

REV. NO.: 002 - Engine codes 11A, 12A, 13A and 14A
added. 003 - Engine codes 11B, 12B, 13B and 14B
added. 005 - Revised by RC 71-129.

0038S/10S