State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-104 Relating to Certification of New Motor Vehicles

TOYOTA MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Toyota Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

| Engine Family | Displacement Cubic Inches (Liters) | | Exhaust Emission Control Systems (Special Features) | | |
|---------------|---------------------------------------|-------|---|--|--|
| HTY2.4T5FBT8 | 144.4 | (2.4) | Exhaust Gas Recirculation Oxygen Sensor Three-Way Catalyst (Electronic Fuel Injection) (Turbocharger) | | |

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Equivalent Inertia Weight | Hydrocarbons Grams per Mile | Carbon Monoxide Grams per Mile | Nitrogen Oxides Grams per mile | |
|---------------------------------|--------------------------------|-----------------------------------|-----------------------------------|--|
| 0-3999 | 0.39 | 9.0 | 1.0 | |
| 4000-5999 | 0.50 | 9.0 | 1.0 | |

The following are the certification emission values for this engine family:

| Equivalent Inertia Weight | Hydrocarbons Grams per Mile | Carbon Monoxide Grams per Mile | Nitrogen Oxides Grams per Mile | |
|---------------------------------|--------------------------------|-----------------------------------|-----------------------------------|--|
| 0-3999 | 0.15 | 3.4 | 0.4 | |
| 4000-5999 | 0.22 | 3.4 | 0.2 | |

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and, for the listed vehicles in the 0-3999 equivalent inertia weight class, with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{2}{2}$ day of August, 1986.

K. D. Drachand, Chief Mobile Source Division

| C | fanufacturer <u>Toyota Motor Corp</u> | oration Engine Family HTY2 | . 4T5FBT8 |
|----|---------------------------------------|--|----------------------|
| E | Evaporative FamilyEV-E | Engine Type 4 cyl. | in-line |
| | | Liters (CID)2.4 | (144.4) |
| 1 | ABBREVIATIONS | | |
| • | | | • |
| 3 | [qnition System | Exhaust Emissions Control System | Special Feature |
| _ | CA-Centrifugal Advance | AIP-Air Injection-Pump | CCV-Combustion |
| | EEC-Electronic Engine Control | AIV-Air Injection-Valve | Chamber Val |
| | NI-Blectronic Ignition | CL-Closed Loop | CFI-Central Fue |
| E | SAC-Electronic Spark Advance | EGR-Exhaust Gas Recirculation | Injection |
| | Control | EM-Engine Modification | DID-Diesel |
| | /A-Vacuum Advance | OC-Oxidation Catalyst System | Injection- |
| • | /R-Vacuum Retard | SPL-Smoke Puff limiter or Throttle Delay | Direct DIP-Diesel |
| | | TOC-Trap Oxidizer Continual | Injection- |
| | | TOP-Trap Oxidizer Periodical | Prechamber |
| | | TR-Thermal Reactor | EFI-Electronic |
| | | TWC-Three Way Catalyst System | Fuel Inject |
| E | Puel System | | IC-Intercooler |
| | CFI. CL. DID. DIP. EFI. MFI | | or aftercool |
| r | NV-nVenturi Carburetor | | MFI-Mechanical |
| | | | Fuel Inject |
| | | | TC-Turbocharges |
| .3 | /EHICLE MODELS : 1. True RN55L-1 | | nner 4WD PGZA |

Page : 17-87

Issued : 05/27/86

| E.O. | * A- | 14-1 | D4 |
|------|------|------|----|
|------|------|------|----|

17.10.00

| | 1987 A | ir reso | URCES B | DARD SUPPLEM | ental data si | | |
|-------------|---|---------|-------------------------|---------------------------------------|---|--------------|--------------------|
| Passenger (| Cars Light-D | uty Tru | cks <u>x</u> | Medium-Duty | Vehicles | | e <u>2</u> esel |
| Manufactur | er <u>Toyota Mo</u> | tor Cor | poration | n Engin | e family | HTY2.4T | 5 FBT8 |
| Liter (CID |)2.4 | (144.4) | | Eng. 1 | Type 4 cyl | . in-line | |
| Emission Co | ontrol Sys. (Spec | cial Pe | atures) | | CL + EGR | + TWC (EFI + | TC) |
| | | | | | | | |
| Engine | Vehicle Models (If Coded see | | | Ign. System EEC,EI,ESAC | | EGR Valve | Catalyst |
| code | attachment) (Dyno Hp: Refer to 08.13.03.00) | Type | 1 | Part No. [Computer] [Knock *1 sensor] | Part No. [Computer] | Part No. | Part No. |
| 1, 2 | RN55L-MGCZA | М5 | 3,125 | 89615-35010 | 89661-35080 22250-35040 23250-35020 | 1 | 18450-35020 |
| 3 thru 6 | RN61L-MBZA RN66L-MGCZA | M5 | 3,500 3,625 3,750 | 89615-35010 | 89661-35050 22250-35040 23250-35020 | | |
| 7, 8 | RN61LG-PGZA | A4 | 3,875 4,000 | | | 25620-35171 | |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Note *1 Maker: 89615-35010: MATSUSHITA ELECTRIC INDUSTRIAL CO., LTD.

89615-35020 : NIPPONDENSO CO., LTD.

Page : 17-88 ,

Issued: 05/27/86 Rev. 2: 07/03/86