(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-111 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HNS3.0T5HCCX	180.6	(3.0)	Exhaust Gas Recirculation Air Injection - Valve Three-Way Catalyst and Oxidation Catalyst with Closed Loop (Central Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent			
Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
4000-5999	0.24	3.7	0.6	

NISSAN MOTOR CO., LTD.

EXECUTIVE ORDER A-15-111 (Page 2 of 2)

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Exective Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\mathcal{G}^{\prime\prime}$ day of June, 1986.

meanin

K. D. Drachand, Chief Mobile Source Division

A-15-111 E.O. #

19_87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Nissan Motor Co., I	_td Engine Fa	mily <u>HNS3.0T5</u>	HNS3.0T5HCCX		
Evaporative Family TBI-3	Engine Ty	pe <u>V-6</u>	- -		
	Liters (C	ID) <u> </u>	.6)		
ABBREVIATIONS					
Ignition System	Exhaust Emissions Con	trol System	Special Features		
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pum AIV-Air Injection-Val CL-Closed Loop EGR-Exhaust Gas Recir EM-Engine Modificatio OC-Oxidation Catalyst SPL-Smoke Puff Limite Throttle Delay TOC-Trap Oxidizer, Co TOP-Trap Oxidizer, Pe TR-Thermal Reactor TWC-Three-Way Catalys	p ve culation n System r or ntinual riodical t System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger		
VEHICLE MODELS:					
Engine Code	Model	Trans	mission		
AV30ICM4	PATHFINDER XE	5-Spe	ed Manual		
BV30ICM4	PATHFINDER SE				
AV30ICA5 BV30ICA5	PATHFINDER XE	3-Spe	ed Automatic		

engine:	Front X	Mid	Rear	
Drive:	FWD	R₩D X	4WD Full Time 4WD Part T	ime X

4.

			A-15-111 E.O. #
	1987 AIR RESOURCE	ES BOARD SUPPLEMENTAL DAT	A SHEET Page 2
Passenger Car	s Light-Duty Trucks _	X Medium-Duty Vehicle	s Gas _X Diesel
Manufacturer	Nissan Motor Co., Ltd.	Engine Family	HNS3.0T5HCCX
Liter (CID) _	3.0 (180.6)	Eng. Type	V-6
Emission Cont	crol Sys. (Special Features)	EGR/AIV/TWC+OC/CL(CFI)	

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System CFI Part No.	EGR Valve Part No.	Catalyst Part No.
	(Dyno Hp)	-					
	PATHFINDER XE (15.5)		4000	Control Unit: MFCS-G200	Control Unit: MECS-G200		
AV30ICM4	PATHFINDER SE (16.0)		4250	Distributor (crank angle sensor)	Air flow meter		20802 17C00
BV30ICM4	PATHFINDER XE (14.0)	M5	4000	D6P84-01 (Hitachi) T5T61372	+ Injector: RGA50-1	AEY77-6	20802 17C05
	PATHFINDER SE (14.5)		4250	(Mitsubishi)	RGA50-2 (with ASCD)		
AV30ICA5	PATHFINDER XE (15.5)		4000	Control Unit: MECS-G210	Control Unit: MECS-G210		
	PATHFINDER SE (16.0)		4250	Distrib u tor (crank angle sensor)	Air flow meter	AEY77-7	20802 42G00
BV30ICA5	PATHFINDER XE (14.0)	L3	4000	D6P84-01 (Hitachi) T5T61372	F Injector: RGA50-3 RGA50-4		20802 42G05
	PATHFINDER SE (14.5)		4250	(MITSUDISTI)	(WITH ASUD)		

ripment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue _____ Revisions: