

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-17-91
Relating to Certification of New Motor Vehicles

AMERICAN MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year American Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HAM150T5LAD4	150 (2.5)	Exhaust Gas Recirculation Three-Way Catalyst with Closed Loop (Central Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

<u>Equivalent Inertia Weight</u>	<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0-3999	0.30	7.3	0.5

BE IT FURTHER RESOLVED: That the listed models in the 0-3999 equivalent inertia weight class were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204, provided, however, that for the listed vehicles in the 0-3999 equivalent inertia weight class, jurisdiction is hereby reserved to modify these provisions to the extent made necessary by an EPA waiver decision, in order to assure that the listed vehicles comply with the minimum federal requirements applicable in California.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 8th day of February, 1986.


K. D. Drachand, Chief
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer American Motors Corporation Engine Family HAM 150 T5 LA D4Evaporative Family HT-150G-1S & HT-150H-1P Engine Type I4Engine Liters (CID) 2.5 (150)

ABBREVIATIONS:

Ignition System

CA - Centrifugal Advance
 EEC - Electronic Engine Control
 EI - Electronic Ignition
 ESAC - Electronic Spark Advance Control
 VA - Vacuum Advance
 VR - Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV - nVenturi Carburetor
 VV - Variable Venturi

Exhaust Emissions Control System

AIP - Air Injection-Pump
 AIV - Air Injection-Valve
 CL - Closed Loop
 EGR - Exhaust Gas Recirculation
 EM - Engine Modification
 OC - Oxidation Catalyst System
 SPL - Smoke Puff Limiter or
 Throttle Delay
 TOC - Trap Oxidizer Continual
 TOP - Trap Oxidizer Periodical
 TR - Thermal Reactor
 TWC - Three-Way Catalyst System

Special Features

CCV - Combustion Chamber Valve
 CFI - Central Fuel Injection
 DID - Diesel Injection-Direct
 DIP - Diesel Injection-Prechamber
 EFI - Electronic Fuel Injection
 IC - Intercooler or Aftercooler
 MFI - Mechanical Fuel Injection
 TC - Turbocharged

VEHICLE MODELS:

(1) { 81 = Wrangler 4WD
 75 = Wagoneer 4WD
 77 = Cherokee 4WD 2 Dr. Wagon
 78 = Cherokee 4WD 4 Dr. Wagon
 73 = Cherokee 2WD 2 Dr. Wagon
 74 = Cherokee 2WD 4 Dr. Wagon
 63 = Comanche 4WD P.U. - Short Bed
 65 = Comanche 4WD P.U. - Long Bed
 64 = Comanche 2WD P.U. - Short Bed
 66 = Comanche 2WD P.U. - Long Bed

(1) Added per R/C 87CT150-02 050286.

ENGINE: FRONT X MID _____ REAR _____DRIVE: FWD _____ RWD X 4WD FULL TIME _____ 4WD PART TIME X

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETPassenger Cars Light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel Manufacturer American Motors Corporation Engine Family HAM 150 T5 LA D4Liter (CID) 2.5 (150) Engine Type I4Emission Control System
(Special Features) CL + EGR + TWC (CFI)

Engine Code	Vehicle Models (If Coded See Attachment)(Hp)	Trans Type	Equiv. Test Weight	Ign. System/ECU ESAC Part No.	Fuel System CFI Part No.	EGR Valve Part No.	Catalyst Part No.
1M1	81	M5	3250	8953002099	8953002099	8953001089	8952003010
1M2	73	M4	3000	8953004763	8953004763		
	64		3125				
1M3	73,74	M4	3250				
	64,77		3375				
	63,78		3500				
	73,74	M5	3250				
	64,77		3375				
	66,75,78		3500				
	63,65		3625				
1M4	73,74	M4	3250				
	64,77,78		3375				
	63		3500				

Comments: All Engine Codes/Model Except 1M1 and Model 81 Added By Running
Change 87C150-02

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Date of Issue: 020886 Revisions: 050286

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETPassenger Cars Light-Duty Trucks X Medium-Duty Vehicles Gas X Diesel Manufacturer American Motors Corporation Engine Family HAM 150 T5 LA D4Liter (CID) 2.5 (150) Engine Type I4Emission Control System
(Special Features) CL + EGR + TWC (CFI)

Engine Code	Vehicle Models (If Coded See Attachment)(Hp)	Trans Type	Equiv. Test Weight	Ign. System/ECU ESAC Part No.	Fuel System CFI Part No.	EGR Valve Part No.	Catalyst Part No.
1M4	73,74	M5	3250				
	64,66,67		3375				
	63,75,78		3500				
	65		3625				
1A1	73	L4	3250	8953004764	8953004764		
	64,74		3375				
	66,77,78		3500				
	63,75		3625				
	65		3750				
1A2	73,74		3250				
	64,66,77		3375				
	63,75,78		3500				
	65		3625				

Comments: All Engine Codes/Model Except Code 1M1 and Model 81 Added By Running Change 87CT150-02

(See Page 1 for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.)

Date of Issue: 050286

Revisions:

040886

5356g/7

JUNE 22, 1987

VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	TIRES SHOWN		PRESSURE (FR RR USAGE (%))	ROADLOAD HP. & COASTDOWN TIMES		
							Standard tire listed 1st	Optional tires also listed		(SEC.)	HP.	
VEHVJ150												
VJ	2910	1440-S	3250	150	M5	ND	P215/75R15 WRANGLER	30	30	45%	9.60	14.9
MODEL B1	2941	1476-P					P215/75R15 XMS1			30%	9.47	14.8
							P225/75R15 WRANGLER			20%	9.67	14.9
							* P205/75R15 WRANGLER			5%	9.60	14.9

S = STEEL FUEL TANK
P = PLASTIC FUEL TANK

* R/E 87RT2.5-10
070287

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER
APRIL 30, 1986

VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	TIRES SHOWN			ROADLOAD HF. & COASTDOWN TIMES		
							SIZE	MODEL	PRESSURE FR RR (%)	(SEC.)	HP.	
VEHXJ150							Standard tire listed 1st Optional tires also listed					
XJ MODEL 74 4-DOOR 2WD	3007	1398	3250	150	M4/M5	YES	P195/75R15	XA4	33 33	20%	12.47	12.4
					M5		P205/75R15	XA4	30 30	45%	12.11	12.8
							P205/75R15	VECTDR		20%	11.39	12.9
							P215/75R15	XMS1		10%	10.52	13.2
							P215/75R15	WRANGLER		5%	10.55	13.6
	2956	1400	3250		M4/M5	NO	P195/75R15	XA4	33 33	30%	13.41	11.3
					M5		P205/75R15	XA4	30 30	40%	13.03	11.6
							P205/75R15	VECTOR		15%	12.22	11.7
							P215/75R15	XMS1		10%	11.24	12.0
							P215/75R15	WRANGLER		5%	11.28	12.4
	3064	1413	3375	150	L4	YES	P195/75R15	XA4	33 33	15%	11.86	13.1
							P205/75R15	XA4	30 30	45%	11.87	13.1
							P205/75R15	VECTDR		25%	11.28	13.2
							P215/75R15	XMS1		10%	10.56	13.3
							P215/75R15	WRANGLER		5%	10.74	13.8
	3003	1414	3250			NO	P195/75R15	XA4	33 33	25%	12.21	11.8
							P205/75R15	XA4	30 30	40%	12.21	11.8
							P205/75R15	VECTOR		20%	11.51	11.9
							P215/75R15	XMS1		10%	10.81	12.0
							P215/75R15	WRANGLER		5%	11.09	12.4

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

APRIL 30, 1986

VEH XJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR RR		(%) USAGE	(SEC.)	HP.
XJ MODEL 73 2-DOOR 2WD	2961	1359	3250	150	M4/M5	YES	P195/75R15 XA4	33	33	20%	12.47	12.4
							P205/75R15 XA4	30	30	45%	12.11	12.8
					P205/75R15 VECTOR			20%	11.39	12.9		
					P215/75R15 XMS1			10%	10.52	13.2		
					P215/75R15 WRANGLER			5%	10.55	13.6		
	2899	1361	3250		M4/M5	NO	P195/75R15 XA4	33	33	30%	13.41	11.3
							P205/75R15 XA4	30	30	40%	13.03	11.6
					P205/75R15 VECTOR			15%	12.22	11.7		
					P215/75R15 XMS1			10%	11.24	12.0		
					P215/75R15 WRANGLER			5%	11.28	12.4		
	3008	1374	3250	150	L4	YES	P195/75R15 XA4	33	33	15%	11.36	13.0
							P205/75R15 XA4	30	30	45%	11.37	13.0
							P205/75R15 VECTOR			25%	10.77	13.1
							P215/75R15 XMS1			10%	10.14	13.2
							P215/75R15 WRANGLER			5%	10.36	13.6
	2946	1376	3250			NO	P195/75R15 XA4	33	33	25%	12.21	11.8
							P205/75R15 XA4	30	30	40%	12.21	11.8
							P205/75R15 VECTOR			20%	11.51	11.9
							P215/75R15 XMS1			10%	10.81	12.0
							P215/75R15 WRANGLER			5%	11.09	12.4

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

APRIL 30, 1986

VEHXJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR RR		(%) USAGE	(SEC.)	HP.
XJ MODEL 77 2-DOOR 4WD	3137	1395	3375	150	M4/M5	YES	P195/75R15 XA4	33	33	15%	12.18	13.3
							P205/75R15 XA4	30	30	40%	11.91	13.5
							P205/75R15 VECTOR			20%	11.36	13.5
					M5	P215/75R15 XMS1			10%	10.37	13.8	
						P215/75R15 WRANGLER			10%	10.76	14.1	
						P225/75R15 WRANGLER			5%	10.78	13.9	
	3075	1397	3375	150	M4/M5	NO	P195/75R15 XA4	33	33	25%	13.11	12.1
							P205/75R15 XA4	30	30	35%	12.82	12.3
							P205/75R15 VECTOR			15%	12.17	12.3
					M5	P215/75R15 XMS1			10%	11.11	12.5	
						P215/75R15 WRANGLER			10%	11.60	12.8	
						P225/75R15 WRANGLER			5%	11.60	12.6	
3186	1410	3500	150	L4	YES	P195/75R15 XA4	33	33	10%	11.68	13.8	
						P205/75R15 XA4	30	30	45%	11.67	13.8	
						P205/75R15 VECTOR			20%	11.20	13.8	
						P215/75R15 XMS1			10%	10.48	14.0	
						P215/75R15 WRANGLER			10%	10.71	14.3	
						P225/75R15 WRANGLER			5%	10.76	14.3	
3125	1412	3375	150	L4	NO	P195/75R15 XA4	33	33	20%	12.37	12.4	
						P205/75R15 XA4	30	30	40%	12.37	12.4	
						P205/75R15 VECTOR			15%	11.73	12.5	
						P215/75R15 XMS1			10%	10.96	12.6	
						P215/75R15 WRANGLER			10%	11.24	13.0	
						P225/75R15 WRANGLER			5%	11.48	12.8	

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

APRIL 30, 1986

VEHXJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES		
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR RR		(%) USAGE	(SEC.)	HP.	
XJ MODEL 78 4-DOOR 4WD	3196	1432	3500	150	M4/M5	YES	P195/75R15 XA4	33	33	15%	12.47	13.4	
							P205/75R15 XA4	30	30	40%	12.14	13.6	
							P205/75R15 VECTOR			20%	11.47	13.8	
					M5			P215/75R15 XMS1			10%	10.62	13.8
								P215/75R15 WRANGLER			10%	11.02	14.1
								P225/75R15 WRANGLER			5%	10.91	14.1
	3134	1434	3375		M4	NO	P195/75R15 XA4	33	33	35%	13.11	12.1	
							P205/75R15 XA4	30	30	45%	12.82	12.3	
							P205/75R15 VECTOR			20%	12.17	12.3	
	3140	1436	3500		M5	NO	P195/75R15 XA4	33	33	35%	13.42	12.2	
							P205/75R15 XA4	30	30	45%	13.06	12.4	
							P205/75R15 VECTOR			20%	12.39	12.5	
		3245	1447	3500	150	L4	YES	P195/75R15 XA4	33	33	10%	11.68	13.8
								P205/75R15 XA4	30	30	45%	11.67	13.8
								P205/75R15 VECTOR			20%	11.20	13.8
								P215/75R15 XMS1			10%	10.48	14.0
								P215/75R15 WRANGLER			10%	10.71	14.3
								P225/75R15 WRANGLER			5%	10.76	14.3
3184		1449	3500			NO	P195/75R15 XA4	33	33	20%	12.63	12.5	
							P205/75R15 XA4	30	30	40%	12.61	12.5	
							P205/75R15 VECTOR			15%	12.04	12.5	
							P215/75R15 XMS1			10%	11.24	12.7	
							P215/75R15 WRANGLER			10%	11.56	13.0	
							P225/75R15 WRANGLER			5%	11.63	13.0	

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

APRIL 30, 1986

VEHXJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed					ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR RR		(%) USAGE	(SEC.)	HP.	
XJ MODEL 75 4-DOOR 4WD	3235	1446	3500	150	M5	YES	P205/75R15 XA4	30	30	70%	12.14	13.6	
							P205/75R15 VECTOR			30%	11.47	13.8	
	3173	1448	3500			NO	P205/75R15 XA4	30	30	70%	13.06	12.4	
							P205/75R15 VECTOR			30%	12.39	12.5	
	3278	1459	3625	150	L4	YES	P205/75R15 XA4	30	30	70%	12.05	13.9	
							P205/75R15 VECTOR			30%	11.62	14.0	
	3217	1461	3500			NO	P205/75R15 XA4	30	30	70%	12.61	12.5	
							P205/75R15 VECTOR			30%	12.04	12.5	

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER
APRIL 30, 1986

VEHXJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES		
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR	RR	(%) USAGE	(SEC.)	HP.	
XJ MODEL 64 PICKUP 2WD	3085	1416	3375	150	M4/M5	YES	P205/75R15 XA4	30	30	55%	12.18	13.3	
							P205/75R15 VECTOR						30%
					P215/75R15 XMS1	5%	10.91	13.6					
					P215/75R15 WRANGLER	5%	11.23	14.0					
					P225/75R15 WRANGLER	5%	11.09	13.9					
	3026	1417	3375			M4/M5	NO	P205/75R15 XA4	30	30	55%	13.11	12.0
								P205/75R15 VECTOR					
						P215/75R15 XMS1	5%	11.63	12.3				
						P215/75R15 WRANGLER	5%	12.10	12.4				
						P225/75R15 WRANGLER	5%	11.95	12.7				
	3134	1429	3375	150	L4	YES	P205/75R15 XA4	30	30	30%	11.11	13.4	
							P205/75R15 VECTOR						55%
							P215/75R15 XMS1	5%	10.25	13.8			
							P215/75R15 WRANGLER	5%	10.31	13.8			
							P225/75R15 WRANGLER	5%	10.65	14.1			
	3075	1430	3375				NO	P205/75R15 XA4	30	30	30%	11.88	12.2
								P205/75R15 VECTOR					
								P215/75R15 XMS1	5%	10.88	12.5		
								P215/75R15 WRANGLER	5%	11.06	12.5		
								P225/75R15 WRANGLER	5%	11.43	12.8		

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

APRIL 30, 1986

VEHXJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed						ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE	MODEL	PRESSURE		(%)	(SEC.)	HP.	
									FR	RR	USAGE			
XJ MODEL 66 PICKUP 2WD	3132	1400	3375	150	M5	YES	P195/75R15	XA4	33	33	20%	12.23	13.2	
							P205/75R15	XA4	30	30	40%	12.18	13.3	
							P205/75R15	VECTOR			20%	11.46	13.5	
							P215/75R15	XMS1			8%	10.91	13.6	
							P215/75R15	WRANGLER			8%	11.23	14.0	
							P225/75R15	WRANGLER			4%	11.09	13.9	
	3089	1402	3375				NO	P195/75R15	XA4	33	33	20%	13.11	12.0
								P205/75R15	XA4	30	30	40%	13.11	12.1
								P205/75R15	VECTOR			20%	12.27	12.3
								P215/75R15	XMS1			8%	11.63	12.4
								P215/75R15	WRANGLER			8%	12.10	12.7
								P225/75R15	WRANGLER			4%	11.95	12.6
3192	1412	3500	150	L4	YES	P195/75R15	XA4	33	33	15%	11.41	13.5		
						P205/75R15	XA4	30	30	40%	11.48	13.6		
						P205/75R15	VECTOR			20%	11.12	13.8		
						P215/75R15	XMS1			10%	10.37	13.8		
						P215/75R15	WRANGLER			10%	10.59	14.1		
						P225/75R15	WRANGLER			5%	10.71	14.2		
3132	1413	3375				NO	P195/75R15	XA4	33	33	15%	11.92	12.2	
							P205/75R15	XA4	30	30	40%	11.88	12.2	
							P205/75R15	VECTOR			20%	11.39	12.5	
							P215/75R15	XMS1			10%	10.88	12.5	
							P215/75R15	WRANGLER			10%	11.06	12.8	
							P225/75R15	WRANGLER			5%	11.43	12.7	

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER
APRIL 30, 1986

VEHICLE	VEHXJ150						TIRES SHOWN					ROADLOAD HP. & COASTDOWN TIMES					
	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	Standard tire listed 1st		Optional tires also listed			(SEC.)	HP.				
	SIZE	MODEL	FR	RR	(%) USAGE												
XJ MODEL 63 PICKUP 4WD	3260	1441	3500	150	M4/M5	YES	P205/75R15	XA4	30	30	45%	11.62	14.2				
	3200	1443	3500		M4/M5	NO	P205/75R15	XA4	30	30	45%	12.47	12.9				
3318	1460	3625	150	L4	YES	P205/75R15	XA4	30	30	45%	11.22	14.4					
3259	1461	3500			NO	P205/75R15	XA4	30	30	45%	11.81	13.1					

Engine
Family: HAM 150 T5 LA D4

1987 VEHICLE WEIGHTS AND ROADLOAD HORSEPOWER

APRIL 30, 1986

VEHXJ150							TIRES SHOWN Standard tire listed 1st Optional tires also listed				ROADLOAD HP. & COASTDOWN TIMES	
VEHICLE	TOTAL WT.	AXLE WT.	TEST WT.	ENG	TRANS	A/C USAGE	SIZE MODEL	PRESSURE FR RR		(%) USAGE	(SEC.)	HP.
XJ MODEL 65 PICKUP 4WD	3369	1462	3625	150	M5	YES	P195/75R15 XA4	33	33	15%	12.27	14.0
							P205/75R15 XA4	30	30	35%	12.18	14.0
							P205/75R15 VECTOR			20%	11.49	14.1
							P215/75R15 XMS1			15%	10.73	14.1
							P215/75R15 WRANGLER			10%	11.00	14.4
							P225/75R15 WRANGLER			5%	11.00	14.5
	3310	1463	3625	150	L4	NO	P195/75R15 XA4	33	33	15%	13.13	12.7
							P205/75R15 XA4	30	30	35%	13.09	12.7
							P205/75R15 VECTOR			20%	12.25	12.8
							P215/75R15 XMS1			15%	11.38	12.8
							P215/75R15 WRANGLER			10%	11.65	13.1
							P225/75R15 WRANGLER			5%	11.68	13.2
	3422	1478	3750	150	L4	YES	P195/75R15 XA4	33	33	10%	11.62	14.3
							P205/75R15 XA4	30	30	40%	11.52	14.3
							P205/75R15 VECTOR			20%	11.51	14.4
							P215/75R15 XMS1			15%	10.82	14.3
							P215/75R15 WRANGLER			10%	11.33	14.6
							P225/75R15 WRANGLER			5%	11.23	14.6
	3363	1479	3625	150	L4	NO	P195/75R15 XA4	33	33	10%	12.08	12.9
							P205/75R15 XA4	30	30	40%	11.94	13.1
							P205/75R15 VECTOR			20%	11.86	13.1
							P215/75R15 XMS1			15%	11.14	12.9
							P215/75R15 WRANGLER			10%	11.54	13.2
							P225/75R15 WRANGLER			5%	11.62	13.3