: F. C. Barr

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-61-22 Relating to Certification of New Motor Vehicles:

WINNEBAGO INDUSTRIES, INC.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Winnebago Industries, Inc. exhaust emission control systems are certified for sale in California as described below for gasoline-powered medium-duty vehicles:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HWB2.2T5FGA2	T5FGA2 132 (2.2)		Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
4000-5999	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile
4000-5999	0.25	3.3	0.6

AC CE

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{18}{2}$ day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

19<u>8 7</u> AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer <u>Winnebago Industr</u>	ies, Inc.	_Engine Family _	HWB2.2T5G	A2
Evaporative Family FT2.2E2P		Engine Type	14	
		Liters (CID)	2.2 (132.	1)
ABBREVIATIONS				
Ignition System	Exhaust Emi	ssions Control S	System	Special Features
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard	AIV-Air Ing CL-Closed L EGR-Exhaust EM-Engine M OC-Oxidation SPL-Smoke F Throttle TOC-Trap Ox TOP-Trap Ox TR-Thermal	Gas Recirculate Modification on Catalyst System or Delay Cidizer, Continuation of Cataly Cidizer, Periodication of Cataly Cidizer, Periodication of Cataly Cidizer, Periodication of Catalyst Ca	em al cal	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Euel Injection
uel System				IC-Intercooler or aftercooler
CFI, CL, DID, DIP, <u>EFI</u> , MFI nV-nVenturi Carburetor				MFI-Mechanical Fuel Injection TC-Turbocharger
VEHICLE CONFIGURATION Winnebag	o ''H''-Body			·
VEHICLE MODELS:				
WINNEBAGO LeSha ITASCA Phasa Centauri and Uti	r			

ˈˈngine:	Front	X	Mid	Rear	
			-		
Drive:	FWD	X	RWD	4WD Full Time 4WD Part Time	ne

E.O. #A-61-22

19_87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger	Cars Light-	-Duty Tru	cks	Medium-Duty Ve	ehicles X	Gas 📈 Di	esel	
Manufactur	er Winnebago	Industri	es, Inc.	Engine Fan	mily <u>HWB2</u>	.2T5FGA2		
Liter (CID) 2.2 (132.1)				Eng. TypeI4				
Emission C	Control Sys. (Spec	cial Feat	ures)	CL-EGR-TWC-(EF	I)			
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System EFI	EGR Valve	Catalyst	
	(Dyno Hp)	,		Part No.	Part No.	Part No.	Part No.	
A	Winnebago H-Body (22.0)	A3	5500	7700720060	7700715635	77000720061	7700727647	
_			•					
Comments:	See page one for	abbrevi	ations and	d evaporative e	emission famil	y identifica	tion.	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issue 1/2486 Revisions: