

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-117
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HNS2.0V5FAC2	120.4 (2.0)	Exhaust Gas Recirculation Air Injection - Valve Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.16	3.0	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 11th day of August, 1986.


K. D. Drachand, Chief
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer NISSAN MOTOR CO., LTD. Engine Family HNS2.OV5FAC2
 Evaporative Family FI4-2 Engine Type In-line 4, OHC
 Liters (CID) 2.0 Liter (120.4CID)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 SPL-Smoke Puff Limiter or Throttle Delay
 TOC-Trap Oxidizer, Continual
 TOP-Trap Oxidizer, Periodical
 TR-Thermal Reactor
 TWC-Three-Way Catalyst System
 ECC-Electronic Control Carburetor
 ECCS-Electronic Concentrated Control System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 IC-Intercooler or aftercooler
 MFI-Mechanical Fuel Injection
 TC-Turbocharger

System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor

VEHICLE MODELS:

<u>Engine Code</u>	<u>Model</u>	<u>Transmission</u>
AC20ECM1	STANZA XE WAGON	5-Speed Manual
BC20ECM1		
AC20ECA1	STANZA XE WAGON	Automatic
BC20ECA1		
AC20ECM3	STANZA XE WAGON 4WD	5-Speed Manual
BC20ECM3		

Engine: Front X Mid. Rear
 Drive: FWD RWD X 4WD Full Time 4WD Part Time X

Issue Date :

Revision Date :

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Passenger Cars Light-Duty Trucks _____ Medium-Duty Vehicles _____ Gas Diesel _____

Manufacturer NISSAN MOTOR CO., LTD. Engine Family HNS2.0V5EAC2

Liter (CID) 2.0 Liter (120.4 CID) Eng. Type In-Line 4, OHC

Emission Control Sys. (Special Features) EFI/EGR/AIV/TWC/CL/ECCS/2 plug

Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
AC20ECM1	STANZA XE WAGON (8.8)	M5	3125	Distributor D4P86-02 (HITACHI) TOT61572 (MITSUBISHI)	Control Unit A11-A03(2WD) A11-A01(4WD) Air Flow Meter A31-634 Injector A46-001 (JECS) A46-002 (DKC)	AEY77-1	20802 29R00 20802 29R10 20802 29R05 20802 29R15
BC20ECM1	STANZA XE WAGON (8.0)						
AC20ECM3	STANZA XE WAGON 4WD (12.5)		3375				
BC20ECM3	STANZA XE WAGON 4WD (11.4)						
BC20ECA1	STANZA XE WAGON (8.0)	L4	3125	Distributor D4P86-02 (HITACHI) TOT61572 (MITSUBISHI)	Control Unit A11-A03 Air Flow Meter A31-634 Injector A46-001 (JECS) A46-002 (DKC)	AEY76-84	
AC20ECA1	STANZA XE WAGON (9.1)						

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Issue Date :
Revision Date :