State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-79 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for diesel-powered passenger cars:

Engine Family		lacement ches (Liters)	Exhaust Emission Control Systems (Special Features)
HTK2.0D6JAA8	122	(2.0)	Exhaust Gas Recirculation (Diesel Injection-Prechamber)

Vehicle models, transmissions and engine codes are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates	
Grams per Mile	Grams per Mile	Grams per mile	Grams per Mile	
0.46	8.3	1.0	0.2	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	Particulates	
Grams per Mile	Grams per Mile	Grams per Mile	Grams per Mile	
0.19	0.6	0.8	0.2	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 $et\ seq.$).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2^{tt}

___ day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

Manufacturer	Mazda Motor Corporation		Executive Order No. A-16-79			
Engine Family	HTK2.0D6JAA8		Evaporative Family			
			Engine CID (Liters) _	121.9 (2.0)		
ABBREVIATIONS				·		
Innition System	!	Exhaust E	missions Control System	Special Featu		
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition FSAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard		AIV-Air I CL-Closed EGR-Exhau EM-Engine OC-Oxidat TOC-Trap TOP-Trap TR-Therma	njection-Pump njection-Valve Loop st Gas Recirculation illodification ion Catalyst System Oxidizer Continual Oxidizer Periodical I Reactor -Way Catalyst System	CCY-Combustio Chamber CFI-Central F Injectic DID-Diesel Injectic Direct DIP-Diesel Injectic Prechamt		
Fuel System CFI, CL, DID, D nV-nVenturi Car VV-Variable Ven	buretor	:		EFI-Electron: Fuel Injectic IC - Intercoo MFI-Mechanica Fuel Injection		

VEHICLE MODELS:

MAZDA 626 Diesel

BRIVE	SYSTEM:	Front	Engine/	Front	Wheel	Drive
012584	1					

E.O. #A-16-79

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Engi	ne FamilyH	rk2.0D6J			Page Engin Code CID (Liter)-	RF-M & RF-M	***************************************
ECS	(Special Features)	7	(DIP)& I	EGR	Type _	121.9(2.0) - 1	.4
.Engine Code	Code (If Coded see	Equiv. Ign. System Test		Fuel System DIP	EGR Valve	Lab el Iden t.	
	attachment) (Hp)		Weight	Part No.	Part No.	Part No.	Part No
RF-MC	MAZDA 626	M-5	3000	None	Pump: RF66 13 800	RF66 20 300	
				·	Injector: RF66 13 H50		
			·				
					_		
			·				

Corments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

*Add 10% to dyno test HP for air conditioning usage.

Date of Issue - Mar. 28, 1986