## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-18-45 Relating to Certification of New Motor Vehicles -

## VOLVO CAR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Volvo Car Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
HVV2.3V5FFT2	141	(2.3)	Three-Way Catalyst Oxygen Sensor (Heated) (Electronic Fuel Injection) (Turbocharger) (Intercooler)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.21	1.9	0.6	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

JM Maun W

## 1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

		Page 1			
Manufacturer Volvo Car Corporat	tion Engine Family HVV2.3	Engine Family HVV2 3V5FFT2			
Evaporative Family <u>E3</u>	Engine Type L-4				
	Liters (CID)	1)			
ABBREVIATIONS					
Ignition System	Exhaust Emissions Control System	Special Features			
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercoole MFI-Mechanical Fuel Injection TC-Turbocharger			
VEHICLE MODELS:					
ENGINE CODE	VEHICLE MODEL	TRANSMISSION			
FFT2:1	740 Turbo 4-Dr Sedan 740 Turbo Wagon 760 Turbo 4-Dr Sedan 760 Turbo Wagon	M5			
FFT2:2	740 Turbo 4-Dr Sedan 740 Turbo Wagon 760 Turbo 4-Dr Sedan 760 Turbo Wagon	A4			
ngine: Front χ Mid.	Rear				
Orive: FWD RWD	X 4WD Full Time 4WD Pa	rt Time			

		_		ARD SUPPLEMENT		E.O. #P	2
Passenger	Cars X Light	-Duty Tru	icks	Medium-Duty V	ehicles	Gas $\chi$ Di	esel
Manufactu	rer <u>VOLVO CAR</u>	CORPORATI	ION	Engine Far	nily <u>HVV2.3V</u>	5FFT2	
Liter (CI	D) <u>2.3 (141)</u>			Eng.	Type <u>In-Line</u>	4-Cylinder	
Emission	Control Sys. (Spe	cial Feat	ures)TI	WC/OxS/(EFI, TO	C, IC)		
					•		
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) ESAC	Fuel System  EFI		
<del></del>	(Dyno Hp)			Part No.	Part No.	Part No.	Part No.
	740 Turbo 4-DR Sedan (10.3)		<b>337</b> 5				
FFT2:1	740 Turbo Wagon (9.1)	M5	3500		Control Unit BOSCH 0280000541		
	760 Turbo 4-DR Sedan (10.3)	Mo	3375	Control Unit BOSCH	BOSCH		
	760 Turbo Wagon (9.1)		3500	0261201012 Distributor:	0280150357 Air Mass	N/A	DEGUSSA 1326481
	740 Turbo 4-DR Sedan (10.3)		3375	BOSCH 0237502001	Meter: Bosch 0280212007	117.6	1320401
FFT2:2	740 Turbo Wagon (9.1)	A4 bo dan 3)	3500	Knock Sensor BOSCH 0261231006	Oxygen Sensor BOSCH 0258003006	:	
	760 Turbo 4-Dr Sedan (10.3)		3375				
	760 Turbo Wagon (9.1)		3500				
	See page one for fer to manufacture If two test wei	r's HP 1	i <mark>st fo</mark> r co	rrect dyno tes	t HP settings	based on mo	del and
Data of Is			Pevisio	nc ·	<del> </del>		