State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-19-53 Relating to Certification of New Motor Vehicles

DR. ING. h.c.f. PORSCHE, AKTIENGESELLSCHAFT

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Dr. Ing. h.c.f. Porsche, Aktiengesellschaft exhaust emission control systems are certified as described below for gasoling-powered passenger cars:

Engine Family	Displace Cubic Inches		Exhaust Emission Control Systems (Special Features)
HPR302V5FD46	302	(5.0)	Air Injection - Pump Dual Three-Way Catalyst Heated Oxygen Sensor Electronic Ignition (Electronic Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per Mile	
0.38	2.8	0.3	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of September, 1986.

K. D. Drachand, Chief Mobile Source Division

Page 1

19 <i>8</i> 7 AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET

.(J	•	f	Λ	٦,	7	 4	=

Manufacturer/	PMRSCHE	Engine Family	HPR 302 V5 FD 46
Manufacturer/	UNSCITE		· · · · · · · · · · · · · · · · · · ·
Evaporative Family	6	Engine Type	V-8
Evaporative raming			
		Liters (CID)	5.0 (302)

ABBREVIATIONS :

Ignition System

CA-Centrifugal Advance EEC-Electronic Engine Control X EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System

X AIP-Air Injection-Pump AIY-Air Injection-Valve X CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor X TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber X EFI-Electronic Fuel Injection IC-Intercooler or aftercoole MFI-Mechanical Fuel

> Injection TC-Turbocharger

VEHICLE MODELS:

928,54

AUG. 22 1986

Engine:	Front X	Mid	Rear	
Drive:	FWD	RWD X	4WD Full Time	4WD Part Time
		03 -04.00		

•						E.O. # <u>A</u>	11-2
	19 <u>87</u>	7 AIR RES	SOURCES BO	ARD SUPPLEMENT.	AL DATA SHEET	Page	2
	Cars X Lighter PORSC.	UF		Engine Far	nily	SUE VS I	0 10
Emission C	ontrol Sys. (Spec	cial Feat	ures) <u>A</u>	IP, CE, FA	16, (EFI), I	<u> </u>	
Engine	Vehicle Models	Trans.	Equiv. Test	Ign. System	Fuel System	EGR Valve	Catalyst
Code	(If Coded see attachment) (Dyno Hp)	Type	Weight	Part No.	Part No.	Part No.	Part No.
M28/41 F	1	M5 A4	3750 3875	928 EZK-01	10- Н7 876		928.113.219.01
	See page one fo	r abbrev	iations an	d evaporative	emission famil	y identifica	ation.

Comments: See page one for abbreviations and evaporative emission family identification.

Please refer to manufacturer's HP list for correct dyno test HP settings based on model and uipment. If two test weights are listed, the lower weight will be used for testing.

		Revisions:
Date of	Issue	 KCT1510

AUG. 22 1986