State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-54 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authorizy vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HSZ090V2FSG3	90	(1.5)	Air Injection - Valve Exhaust Gas Recirculation Three-Way Catalyst (two) Oxygen Sensor		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.12	1.2	0.4

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

_ day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

E.O. # A-20-54

198 7 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer	ISUZU MOTO	ORS LIMITED	_ Engine Family	HSZ090	V2FSG3
Evaporative Family	CAN-D		Engine Type	L4	
			Liters (CID)	1.5 (9	0)
ABBREVIATIONS				•	
Ignition System		Exhaust Em	issions Control Sys	tem	Special Features
CA-Centrifugal Advance EEC-Electronic Engine EI-Electronic Ignition ESAC-Electronic Spark Control VA-Vacuum Advance VR-Vacuum Retard	: Control	AIV-Air In CL-Closed I EGR-Exhaus EM-Engine I OC-Oxidatio SPL-Smoke I Throttle TOC-Trap Ox TOP-Trap Ox TR-Thermal	t Gas Recirculation Modification on Catalyst System Puff Limiter or Delay kidizer, Continual kidizer, Periodical		CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection
Fuel System	1	İ	:		IC-Intercooler or aftercooler
CFI, CL, DID, DIP, EF nV-nVenturi Carbureto		1	· ·		MFI-Mechanical Fuel Injection TC-Turbocharger
VEHICLE MODELS:					
Isuzu I-MARK			-2L: 4 Door Notchb -3L: 2 Door Hatchb		
Chevrolet SPECTRUM			Door Notchback Door Hatchback		

Engine:	Front	<u> </u>	Mid	Rear		
Drive:	FWD _	X	RWD	4WD	Full Time	4WD Part Time

Rev. No. : 87G-02 Rev. Date : 4-16-86

Issue Date: Apr. 16, 1986

	19 <u>8</u> <u>7</u>	AIR RES	OURCES BO	ARD SUPPLEMENT	AL DATA SHEET				
Passenger	Cars X Light-	-Duty Tru	cks	Medium-Duty Ve	ehicles	Gas X Di	esel		
	erISUZU								
Liter (CID	1.5 (9	90)		Eng. Type L4					
	ontrol Sys. (Spec					· · · · · · · · · · · · · · · · · · ·	- The second of		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System CA, VA Distributor Part No.	Fuel System CL, 2V Carb. Part No.	EGR Valve	Catalyst Part No.		
VSG-1	I3G-2M I3G-3M I3G-2L I3G-3L	M-5	2,375	8941764882	8944269160	8944016380	Under Floor Converter		
VSG-2	C3G-2M C3G-3M (Dyno Hp: 7.7)	A-3	2,373	8941782192	8944269170	8941403712	8250569790 Exh Manifold Converter 8944234400		
Comments:	See page one fo	r abbrevi	ations an	d evaporative	emission famil	y identifica	tion.		

Date of Issue _____ Revisions: (A) Distributor changed by RC37V04 on 012037.

Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Rev. No. : 87G-02 87G-AC-2 Rev. Date : 4-16-86 1-20-87 Issue Date: Apr. 16, 1986