State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-61 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacem Cubic Inches		Exhaust Emission Control Systems (Special Features)		
HSZ119V5FTG1	119 (1.9)		Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons Grams per Mile	Carbon Monoxide <u>Grams per Mile</u>	Nitrogen Oxides <u>Grams per mile</u>		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons		Carbon Monoxide	Nitrogen Oxides	
Grams per Mile		Grams per Mile	<u>Grams per Mile</u>	
0.24	•	2.9	0.2	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et et et et and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

This Executive Order supersedes Executive Order A-20-58, dated January 16, 1987.

Executed at El Monte, California this 22^{tt} day of January, 1987.

K. D. Drachand, Chief Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer ISUZU MOTORS LIM	Engine Family	HSZ119V5F	<u> </u>		
Evaporative Family <u>CAN-C</u>		Engine Type	L4		
		Liters (CID)	1.9 (119)		
ABBREVIATIONS				•	
Ignition System	Exhaust Er	missions Control Sy	<u>/stem</u>	Special Features	
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System	AIV-Air In CL-Closed EGR-Exhaus EM-Engine OC-Oxidat SPL-Smoke Throttle TOC-Trap (TOP-Trap (TR-Therma)	st Gas Recirculation Modification ion Catalyst System Puff Limiter or e Delay Oxidizer, Continual Oxidizer, Periodica	n 1	CCV-Combustion Chamber Valor CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler	
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor				or aftercoo MFI-Mechanical Fuel Injection TC-Turbocharger	
VEHICLE MODELS:					
Isuzu IMPULSE	I2G-3M: 2	Door Hatchback			
	•				
•					

4WD Full Time ____ 4WD Part Time

Drive:

FWD

RWD

^r assenger	Cars X Light-	'			AL DATA SHEET chicles(Page Gas X Di	2 esel
	rerISUZU			•			
_iter (CII	D) 1.9 (119)		Eng.	TypeL4		
	Control Sys. (Spec						
Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System EI Distributor	Fuel System CL, EFI ECM	EGR Valve	Catalys
**************************************	(Dyno Hp)		iic i gii i	Part No.		Part No.	Part No.
VTG-5		M-5					
	12G-3M (Dyno Hp: 8.7)		3,125	8941723460	8944316120	8941224780	82505706
VTG-6	(sgille lipt corry	A-4					
			·				
				-			
				· ·			}

Date of Issue _____ Revisions: