

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-33
Relating to Certification of New Motor Vehicles

SAAB-SCANIA AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Saab-Scania AB exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

<u>Engine Family</u>	<u>Displacement Cubic Inches (Liters)</u>	<u>Exhaust Emission Control Systems (Special Features)</u>
HSA2.0V6FNT8	121.1 (2.0)	Three-Way Catalyst Oxygen Sensor (Mechanical Fuel Injection)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per mile</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons Grams per Mile</u>	<u>Carbon Monoxide Grams per Mile</u>	<u>Nitrogen Oxides Grams per Mile</u>
0.18	2.0	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23rd day of September, 1986



K. D. Drachand, Chief
Mobile Source Division

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-22-33

Page 1

Manufacturer Saab-Scania AB Engine Family HSA2.OV6FNT8
 Evaporative Family H-900-3 Engine Type Otto 8-Valve 4-Cyl. In-line
 Liters (CID) 2.0 (121.1)

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance
 EEC-Electronic Engine Control
 EI-Electronic Ignition
 ESAC-Electronic Spark Advance Control
 VA-Vacuum Advance
 VR-Vacuum Retard

Exhaust Emissions Control System

AIP-Air Injection-Pump
 AIV-Air Injection-Valve
 ✓ CL-Closed Loop
 EGR-Exhaust Gas Recirculation
 EM-Engine Modification
 OC-Oxidation Catalyst System
 SPL-Smoke Puff Limiter or Throttle Delay
 TOC-Trap Oxidizer, Continual
 TOP-Trap Oxidizer, Periodical
 TR-Thermal Reactor
 ✓ TWC-Three-Way Catalyst System

Special Features

CCV-Combustion Chamber Valve
 CFI-Central Fuel Injection
 DID-Diesel Injection-Direct
 DIP-Diesel Injection-Prechamber
 EFI-Electronic Fuel Injection
 IC-Intercooler or aftercooler
 ✓ MFI-Mechanical Fuel Injection
 TC-Turbocharger

Fuel System

CFI, CL, DID, DIP, EFI, MFI
 nV-nVenturi Carburetor

VEHICLE MODELS:

Engine Code

NM5-AC
 NA3-AC]

Car Line

[900-3CKL Hatchback
 900-4SNL Sedan]

Transmission

[M5
 A3]

Engine: Front X Mid. _____ Rear _____

Drive: FWD X RWD _____ 4WD Full Time _____ 4WD Part Time _____

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-22-33

Page 2

Passenger Cars xx Light-Duty Trucks _____ Medium-Duty Vehicles _____ Gas xx Diesel _____

Manufacturer Saab-Scania AB Engine Family HSA2.0V6FNT8 (900)

Liter (CID) 2.0 (121.1) Eng. Type S.I. 8-Valve 4-Cyl. In-Line

Emission Control Sys. (Special Features) TWC, CL (MFI)

Engine Code	Vehicle Models (If Coded see Attachment) (HP)	Trans.	Equiv. Test Weight	Ign. System Part No.	Fuel System Part No.	EGR Valve Part No.	Catalyst Part No.
NM5-AC	900-3CKL 900-4SNL	M5 M5	3000 3000	Distributor Saab Pt. No. -93 52 378 Bosch Pt.No. -0237021014 Ignition Coil Saab Pt. No. -85 73 834 Bosch Pt.No. -0221122327 Hall Effect Power Stage Saab Pt. No. -93 90 220 Bosch Pt.No. -0227100139	Mixing Regulator Saab Pt. No. -93 44 896 Bosch Pt.No. -0438040100 Lambda Electronic Control Unit Saab Pt. No. -75 36 915 Bosch Pt. No. -0280800070	Not Applicable	93 32 461 75 25 090 (Alternate)
NA3-AC	900-3CKL 900-4SNL	A3 A3	3125 3125				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test Hp for air conditioning usage.

Date of Issue - _____