State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-22-36 Relating to Certification of New Motor Vehicles

SAAB-SCANIA AB

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Saab-Scania AB exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Syste (Special Features)		
HSA2,0V5FNC4	A2.0V5FNC4 121.1 (2.0)		Three-Way Catalyst Heated Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides	
Grams per Mile	Grams per Mile	Grams per mile	
0.41	7.0	0.7	

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.36	2.4	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 23°

day of September, 1986.

K. D. Drachand, Chief Mobile Source Division

1987 AIR RE	SOURCES BOARD SUPPLEMENTAL DATA SHEE	Page 1
Manufacturer Saab-Scania AB Evaporative Family H-9000-4	Engine Family HSA2.0V5 Engine Type Otto 16-V Liters (CID) 2.0 (121.	alve 4-Cyl. In-line
ABBREVIATIONS Ignition System CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard Fuel System CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor	Exhaust Emissions Control System AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger
Engine Code 202NM5AC 202NA4AC	Car Line 9000S-5CKL Hatchback 9000S-5CKLEAG Hatchback	Transmission M5 A4

Rear _____

4WD Full Time ____ 4WD Part Time ____

030186

RWD _____

Engine: Front X Mid.

FWD X

Drive:

		Saab-Scania AB			Medium-Duty Vehicles Engine Family HSA2.0				
	2.0 (121.1)								
mission Con	trol Sys. (Speci	al Featu	ires)	TWC, CL (EFI)					
Engine Code	Vehicle Models (If Coded see Attachment) (HP)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) Part No.		System No.	EGR Valve	Catalyst Part No.	
202NM5AC 202NA4AC	9000S-5CKL 9000S-EAG-5CKL 9000S-5CKL 9000S-EAG-5CKL	M5 M5		Saab Pt. No75 61 798 Bosch Pt. No0237506009 EZK Electroni Control Unit Saab Pt. No75 03 592 Bosch Pt. No0227400022 EZK Power Stage	Saab P -93 89 Bosch -02800 Air Ma Meter Saab F -93 90 Bosch -02800	1 Unit 7t. No. 9 768 Pt. No. 900532		93 92 598 93 92 45 (Alterna	

Comments: See page one for abbreviations and evaporative emission family identification.

asse refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Add 10% to dyno test Hp for air conditioning usage.

Date of Issue	•	C.	-3	
	and the second s			