(Page 1 of 2)

103.5

State of California AIR RESOURCES BOARD

Ť,

EXECUTIVE ORDER A-23-48 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HHN1.6V5FXCO	97	(1.6)	Three-Way Catalyst Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.39	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.27	2.1	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 13-20 day of August, 1986.

Bolt Close for

K. D. Drachand, Chief Mobile Source Division -Manufacturer

Evaporative Family

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

,			Page l
 Engine	Family	HHN1.6V5FXC0	
Engine	Туре	I - 4	
Liters	(CID)	1.6 (97)	

ABBREVIATIONS

Ignition System

CA-Centrifugal Advance EEC-Electronic Engine Control AIV-Air Injection-Valve EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System Special Features

AIP-Air Injection-Pump CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-way Catalyst System

CCV-Combustion

Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger

VEHICLE MODELS:

Integra 3 Dr HB RS Integra 3 Dr HB LS Integra 5 Dr HB RS Integra 5 Dr HB LS

Engine	:	Front	<u> </u>	Mid.	Rear	
Drive	:	FWD	X	RWD	4WD Full Time 4WD Part Time	

ISSUED: 04/10/86 REVISED: 04/10/87 (RC # 28, 29, 30) 030186

Page ____2

... 4

		•					E.O.	ŧŧ	4-23-4
1987	AIR	RESOURCES	BOARD	SUPPLEMENTAL	DATA	SHEET			

Passeng	er Cars X Light-D	uty Tru	cks	Medium-Duty V	ehicles G	as <u>X</u> Dies	el		
Manufac	turer HONDA			Engine Famil	y <u>HHN1.6V5</u>	FXC0			
Liter (Liter (CID) 1.6 (97)				Engine Type I - 4				
Emissio	n Control Sys. (Spe	cial Fe	atures)	CL, TWC (F	EFI)				
	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Catalyst		
	*(Dyno HP)			Part No.	Part No.	Part No.	Part No.		
HX1	Integra 3Dr HB RS Integra 3Dr HB LS Integra 5Dr HB RS Integra 5Dr HB LS		2625 2750		CL & EFI Denshi Giken	N/A			
HX1/1	Integra 3Dr HB RS Integra 3Dr HB LS Integra 5Dr HB RS Integra 5Dr HB LS	M5	2625 2750	CA, EI & VA	ECU 37820-PG7 -6840		18150-PG7 -6620 18150-PG7 -6630		
HX3/1	Integra 3Dr HB RS Integra 3Dr HB LS Integra 5Dr HB RS Integra 5Dr HB LS Integra 3Dr HB RS Integra 3Dr HB RS Integra 3Dr HB LS Integra 5Dr HB RS Integra 5Dr HB RS Integra 5Dr HB LS	A 4	2625 2750	Distributor TD-10M	CL & EFI Denshi Giken ECU 37820-PG7 -6940				
	J								

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

Date of Issued 04/10/86 REVISED: 04/10/87 (RC #28,24,30)

^{*:} Please refer to page 08-2 in 1987 Application.