(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-37-13 Relating to Certification of New Motor Vehicles

## LOTUS CARS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Lotus Cars Limited exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacer Cubic Inches		Exhaust Emission Control Syste (Special Features)		
HLT2.2V6H10X	132.6	(2.2)	Three-Way Catalyst (Two) Heated Oxygen Sensor (Turbocharger) (Mechanical Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.41 The following are the	7.0 certification emission values for th	0.7 is engine family:		
Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Grams per Mile	Grams per Mile	Grams per Mile		
0.32	2.2	0.24		

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 20 th day of August, 1986.

K. D. Drachand, Chief Mobile Source Division

## 1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

ĺ						Page 1	
,	Manufacturer LOTUS CA	NRS LTD		Engine Family	HLT2.2V6H10	DX	
	Evaporative Family	LT2	•	_ Engine Type _			
				Liters (CID)	132.6 (2.2)		
	ABBREVIATIONS						
	Ignition System		Exhaust Em	ssions Control	System	Special Features	
FEC-Electronic Engine Control AI  -Electronic Ignition CL  cSAC-Electronic Spark Advance EG  Control EM  VA-Vacuum Advance OC  VR-Vacuum Retard SPI  TOO  TOO  TR-			AIV-Air Ing CL-Closed L EGR-Exhaust EM-Engine M OC-Oxidation SPL-Smoke F Throttle TOC-Trap Ox TOP-Trap Ox TR-Thermal	Gas Recircula lodification on Catalyst Sys uff Limiter or Delay idizer, Contingidizer, Period	tem ual ical	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection	
	ruel System					IC-Intercooler	
	CFI, CL, DID, DIP, EFI nV-nVenturi Carbureton					or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger	
<i>(</i>	_HICLE MODELS:						
	Lotus Esprit Turbo						
			\				
	Engine: Front	Mid.	Rear		<i>:</i>	•	
#	Drive: FWD	RWD	4WD	Full Time	4WD Part T	ime	

danut actui	rer <u>LOTUS CAR</u>	S LTD		Engine Fam	ily <u>HLT2.2V6</u>	110X	
_iter (CII	0) (132.6) 2.2			Eng. T	ype HLT2.2V6	110X	·
Emission (	Control Sys. (Spe	cial Feat	ures) <u>Tul</u>	C/CL/MFI/TC			
Engine Code	Vehicle Models (If Coded see	Trans. Type	Equiv. Test Weight	Ign. System (ECU)	Fuel System	EGR Valve	Cataly
	attachment) (Dyno Hp)			Part No.	Part No.	Part No.	Part No
.2V6H10X	Lotus Esprit Turbo	M5	3,000	8910E9210 (Distributor)	A910E6760	None	AD825413 and AD825413
	(7.7Hp)			,			
_							
							-
				·			