State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-79 Relating to Certification of New Motor Vehicles.

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HMT2.0T2F8D4	OT2FBD4 121.9 (2.0)		Air Injection Valve Exhaust Gas Recirculation Three-Way Catalyst Oxygen Sensor (Combustion Chamber Valve)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Equivalent Inertia Weight	Hydrocarbons Grams per Mile	Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per mile
0-3999	0.39	9.0	1.0

The following are the certification emission values for this engine family:

Equivalent Inertia Hydrocarbons Weight Grams per Mile		Carbon Monoxide Grams per Mile	Nitrogen Oxides Grams per Mile	
0-3999	0.28	6.5	0.7	

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this ______ day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

machan

1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer Mitsubishi Motors Corp.

Executive Order No. A-16-

ABBREVIATIONS

Ignition System

CA -Centrifugal Advance EEC -Electronic Engine Control · AIV-Air Injection-Valve EI -Electronic Ignition ESAC-Electronic Spark Advance Control VA -Vacuum Advance VR -Vacuum Retard

Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

Exhaust Emissions Control System · Special Features

AIP-Air Injection-Pump CL -Closed Loop EGR-Exhaust Gas Recirculation EM -Engine Modification OC -Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR -Thermal Reactor TWC-Three Way Catalyst System

CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC -Intercooler MFI-Mechanical Fuel Injection TC -Turbocharger

Issued: Revised:

Manurac	turer <u>Mitsubis</u>	ni Motor	s Corp	<u>. </u>			
Engine	Family HM	T2.OT2FBI	04	Evapo	rative Family	CC-E	
Passen	ger Cars Light-	Duty Tru	cks <u>x</u>	Medium-Duty	Vehicles	Gas X I	iesel
Engine	CID (liter) - Type	121.9	(2.0)	<u>- L4</u>			
ECS (Sp	pecial Features)	AIV+C	L+EGR+	TWC (CCV)			
_	Vehicle Models (If Coded see attachment)	Trans.		CA, EI, VA	Fuel System CL,2V Part No.		_
CM ACM	Dodge RAM50 2WD Mitsubishi Truck 2WD		2875	Distributor 100291-188#		K5T55787	MD096609
CA ACA	Dodge RAM50 2WD Mitsubishi Truck 2WD	A4	3000	Distributor 100291-187#		K5T55788	

Notes: 1. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment.

2. #: Variable

Issued: Revised: