E. C. Bers

(Page 1 of 2)

### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-246-4 Relating to Certification of New Motor Vehicles

#### CARROZZERIA BERTONE S.p.A.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Carrozzeria Bertone S.p.A. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HBE1.5V5FEP0	91.44	(1.5)	Three-Way Catalyst Oxygen Sensor (Electronic Fuel Injection)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.25	1.9	0.3

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $2^{\#}$ 

\_day of July, 1986.

K. D. Drachand, Chief Mobile Source Division

Page	1
------	---

Manufacturer CARROZZERIA BERTONE S.p.A.	_ Engine Family _	HBE1.5V5FEPØ
Evaporative Family EV-1BC	_ Engine Type	L-4
· · · · · · · · · · · · · · · · · · ·	Liters (CID) _	1.5 (91.44)

#### **ABBREVIATIONS**

## Ignition System

CA-Centrifugal Advance
EEC-Electronic Engine Control
EI-Electronic Ignition
ESAC-Electronic Spark Advance
Control
VA-Vacuum Advance
VR-Vacuum Retard

# Fuel System

CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor

# VEHICLE MODELS:

BERTONE X1/9

## Exhaust Emissions Control System

AIP-Air Injection-Pump
AIV-Air Injection-Valve
CL-Closed Loop
EGR-Exhaust Gas Recirculation
EM-Engine Modification
OC-Oxidation Catalyst System
SPL-Smoke Puff Limiter or
Throttle Delay
TOC-Trap Oxidizer, Continual
TOP-Trap Oxidizer, Periodical
TR-Thermal Reactor
TWC-Three-Way Catalyst System

## Special Features

CCV-Combustion

Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection-Direct DIP-Diesel Injection-Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercooler MFI-Mechanical Fuel Injection TC-Turbocharger

Engine:	Front	MidX	Rear
Drive:	FWD	RWD X	4WD Full Time 4WD Part Time

i.	1987	ATR RES	SOURCES BO	IARN KUDDI EMENT	TAL DATA SHEET	E.O. #A	-246-4
Passenger	<del></del>					Page Gas X D	e iesel
Manufacturer CARROZZERIA BERTONE S.p.A.			Medium-Duty Venicles Gas X Diesel Engine Family HBE1.5V5FEPØ				
	1.5 (91.44)			Eng. Type L-4			
Emission (	Control Sys. (Spec	cial Feat	ures)	TWC-CL, (EF	I)		
Engine Code	Vehicle Models (If Coded see attachment) (Dyno Hp)	Trans. Type	Equiv. Test Weight	Ign. System (ECU) CA, VA, EI Part No.	Fuel System  EFI  Part No.	EGR Valve	Catalys
H63YI.16V63.BT	BERTONE X1/9 (Dyno Hp = 8.8)	M5	2500	Bosch 15258 Al	Bosch Elect. Control Unit 0.280.000.223		4442511
[ ase ref	See page one for er to manufacture If two test wei	r's HP 1	ist for co	rrect dyno tes	t HP settings	based on mod	del and

Date of Issue \_\_\_\_\_ Revisions: