(Page 1 of 2)

## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-275-2 Relating to Certification of New Motor Vehicles

## SHELBY AUTOMOBILES, INCORPORATED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1987 model-year Shelby Automobiles, Incorporated exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family	Displacement Cubic Inches (Liters)		Exhaust Emission Control Systems (Special Features)		
HSY2.2V5FAC5			Three-Way Catalyst Heated Oxygen Sensor (Turbocharger) (Intercooler)		

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per mile
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Grams per Mile	Grams per Mile	Grams per Mile
0.22	2.5	0.5

BE IT FURTHER RESOLVED: That the listed models were certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Administrative Code which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Administrative Code, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1981 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Administrative Code, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Administrative Code, Section 2035 et seq.) and with Health and Safety Code Section 43204.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\frac{2s^{-t}}{t}$  day of November, 1986.

K. D. Drachand, Chief Mobile Source Division

## 1987 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer Shelby Automobiles	, Incorporated Engine Family HSY2.2V5FA	.C5	
Evaporative Family HSYAA	Engine Type SOHC4 I-L		
	Liters (CID) 2.2 (135)	2.2 (135)	
ABBREVIATIONS			
Ignition System	Exhaust Emissions Control System	Special Features	
CA-Centrifugal Advance EEC-Electronic Engine Control EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA-Vacuum Advance VR-Vacuum Retard  Fuel System	AIP-Air Injection-Pump AIV-Air Injection-Valve CL-Closed Loop EGR-Exhaust Gas Recirculation EM-Engine Modification OC-Oxidation Catalyst System SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical TR-Thermal Reactor TWC-Three-Way Catalyst System	CCV-Combustion Chamber Valve CFI-Central Fuel Injection DID-Diesel Injection- Direct DIP-Diesel Injection- Prechamber EFI-Electronic Fuel Injection IC-Intercooler or aftercoole	
CFI, CL, DID, DIP, EFI, MFI nV-nVenturi Carburetor		MFI-Mechanical Fuel Injection TC-Turbocharger	
		re-rurbocharger	
VEHICLE MODELS:			
SHELBY LANCER		<u>y</u> :	
SHELBY SHADOW			

Engine:	Front	<u> </u>	Mid.	Rear		
Drive:	FWD	<u> </u>	RWD	4WD	Full Time	4WD Part Time

E.O. # A-275-2 19.87 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page Passenger Cars X Light-Duty Trucks Medium-Duty Vehicles Gas X Diesel Shelby Automobiles, Incorporated Engine Family HSY2.2V5FAC5 Manufacturer Liter (CID) 2.2 (135) Eng. Type SOHC4 I-4 Emission Control Sys. (Special Features) TWC, 91, (TC), (IC), (EFI) Engine Vehicle Models Trans. Equiv. Ign. System Fuel System EGR Valve Catalyst Code (If Coded see (ECU) Type Test attachment) Weight Part No. Part No. Part No. Part No. (Dyno Hp) SAIM-4 SHELBY LANCER M5 3250 5226766 4288270 NO EGR 4301735 (7.4)4301735 4288270 ND EUR SAIM-4A SHELBY LANCER A3 5226766 3250 (7.4) NO EGR 4301735 4288270 SHELBY SHADOW M5 3000 5226766 (6.9) Comments: See page one for abbreviations and evaporative emission family identification.

) li 2 refer to manufacturer's HP list for correct dyno test HP settings based on model and

equiment. If two test weights are listed, the lower weight will be used for testing.

Revisions:

130186

)ate of Issue